

Технические характеристики

Для круглых каналов						
Модель	Мощность, кВт	Напряжение, В	Ток, А	Размеры, мм		Масса, кг
				d	B	
ЕОК 100/0,4-1	0,4	230/1	1,7	100	104	1,09
ЕОК 100/0,6-1	0,6	230/1	2,6			1,09
ЕОК 100/0,8-1	0,8	230/1	3,5			1,44
ЕОК 100/1,2-1	1,2	230/1	5,2			1,45
ЕОК 100/1,6-1	1,6	230/1	6,9			2,03
ЕОК 100/1,8-1	1,8	230/1	7,8			2,05
ЕОК 100/2,4-1	2,4	230/1	10,4			2,06
ЕОК 125/0,8-1	0,8	230/1	3,5	125	129	1,64
ЕОК 125/1,2-1	1,2	230/1	5,2			1,67
ЕОК 125/1,6-1	1,6	230/1	6,9			2,36
ЕОК 125/1,8-1	1,8	230/1	7,8			2,47
ЕОК 125/2,4-1	2,4	230/1	10,4			2,34
ЕОК 160/1,2-1	1,2	230/1	5,2	160	164	1,80
ЕОК 160/1,5-1	1,5	230/1	6,5			1,97
ЕОК 160/2,4-1	2,4	230/1	10,4			2,03
ЕОК 160/3,0-1	3,0	230/1	13,0			2,25
ЕОК 160/5,0-1	5,0	230/1	21,7			3,44
ЕОК 160/6,0-2	6,0	400/2	15,0			3,36
ЕОК 160/6,0-3	6,0	400/3	15,0			4,36
ЕОК 200/2,4-1	2,4	230/1	10,4	200	204	2,71
ЕОК 200/3,0-1	3,0	230/1	7,5			2,71
ЕОК 200/5,0-1	5,0	400/2	12,5			3,94
ЕОК 200/6,0-2	6,0	400/2	15			4,06
ЕОК 200/6,0-3	6,0	400/3	8,7			4,81

Для круглых каналов						
Модель	Мощность, кВт	Напряжение, В	Ток, А	Размеры, мм		Масса, кг
				d	B	
ЕОК 200/9,0-3	9,0	400/3	13,9			5,06
ЕОК 250/3,0-1	3,0	230/1	13,0	250	204	3,85
ЕОК 250/6,0-2	6,0	400/2	15,0			3,02
ЕОК 250/6,0-3	6,0	400/3	15,0			3,36
ЕОК 250/9,0-3	9,0	400/3	22,5			6,31
ЕОК 250/12,0-3	12,0	400/3	18,5			6,55
ЕОК 250/15,0-3	15,0	400/3	22,6			7,04
ЕОК 315/3,0-1	3,0	230/1	13,0	315	204	3,49
ЕОК 315/6,0-2	6,0	400/2	15,0			3,95
ЕОК 315/6,0-3	6,0	400/3	15,0			3,95
ЕОК 315/9,0-3	9,0	400/3	22,5			4,68
ЕОК 315/12,0-3	12,0	400/3	30,0			7,05
ЕОК 315/15,0-3	15,0	400/3	37,5			7,54
ЕОК 315/18,0-3	18,0	400/3	27,8			7,13
Модель	Мощность, кВт	Напряжение, В	Ток, А	Размеры, мм		Масса, кг
				d	B	
ЕОК 400/9,0-3	9,0	400/3	22,5	400	204	5,20
ЕОК 400/12,0-3	12,0	400/3	30,0			6,50
ЕОК 400/15,0-3	15,0	400/3	37,5			7,12
ЕОК 400/18,0-3	18,0	400/3	45,0			7,60

Для прямоугольных каналов								
Модель	Мощность, кВт	Напряжение, В	Ток, А	Ступени мощности, кВт	Размеры, мм			Масса, кг
					Н	В	L	
ЕО 400х200/9	9,0	400/3	13,7	9	400	200	300	7,0
ЕО 400х200/12	12,0		18,3	6+6			345	9,6
ЕО 400х200/15	15,0		22,7	7,5+7,5			345	10,5
ЕО 400х200/17	17,0		25,9	9+7,5			345	10,6
ЕО 500х250/12	12,0		18,3	6+6	500	250	345	10,6
ЕО 500х250/15	15,0		22,7	7,5+7,5		250	345	11,2
ЕО 500х250/17	17,0		25,9	9+7,5		250	345	11,7
ЕО 500х250/22,5	22,5		34,3	7,5+7,5+7,5		250	450	14,7
ЕО 500х250/27	27,0		41,0	9+9+9		250	450	16,2
ЕО 500х300/12	12,0		18,3	6+6		300	345	11,0
ЕО 500х300/15	15,0		22,7	7,5+7,5		300	345	12,3
ЕО 500х300/17	16,5		25,1	9+7,5		300	345	13,0
ЕО 500х300/22,5	22,5		34,3	7,5+7,5+7,5		300	450	16,0
ЕО 500х300/27	27,0		41,0	9+9+9		300	450	17,2
ЕО 600х300/15	15,0		22,7	7,5+7,5	600	300	345	13,2
ЕО 600х300/17	17,0		25,9	7,5+9		300	345	12,9
ЕО 600х300/22,5	22,5		34,3	7,5+15		300	345	13,8
ЕО 600х300/27	27,0		41,0	9+9+9		300	450	15,6
ЕО 600х300/32	31,5		47,9	7,5+9+15		300	450	16,0
ЕО 600х350/17	17,0		25,9	7,5+9		350	345	13,8
ЕО 600х350/22,5	22,5		34,3	7,5+15		350	345	15,6
ЕО 600х350/27	27,0		41,0	9+9+9		350	450	18,0
ЕО 600х350/32	32,0		48,7	7,5+9+15		350	450	19,3
ЕО 600х350/36	36,0		54,9	9+12+15		350	450	19,5
ЕО 600х350/45	45,0		68,0	7,5+7,5+15+15		350	590	20,1
ЕО 700х400/27	27,0			41,0	9+9+9	700	400	310

Для прямоугольных каналов								
Модель	Мощность, кВт	Напряжение, В	Ток, А	Ступени мощности, кВт	Размеры, мм			Масса, кг
					Н	В	L	
EO 700x400/32	32,0		48,7	7,5+9+15			310	18,7
EO 700x400/36	36,0		54,9	9+12+15			310	19,0
EO 700x400/45	45,0		68,0	7,5+7,5+15+15			345	20,3
EO 700x400/60	60,0		90,7	7,5+7,5+15+15+15			415	21,3
EO 700x400/67	67,0		102,2	7,5+15+15+15+15			415	22,2
EO 800x500/32	32,0		48,7	7,5+9+15	800	500	310	20,3
EO 800x500/36	36,0		54,9	9+12+15			310	21,7
EO 800x500/45	45,0		68,0	7,5+7,5+15+15			345	22,5
EO 800x500/60	60,0		90,7	7,5+7,5+15+15+15			415	26,4
EO 800x500/67	67,0		102,2	7,5+15+15+15+15			450	28,1
EO 800x500/90	90,0		136,0	15+15+15+15+15+15			415	28,8
EO 900x500/45	45,0		68,0	7,5+7,5+15+15	900	500	345	31,1
EO 900x500/67	67,0		102,2 136,0	7,5+15+15+15+15			415	33,0
EO 900x500/90	90,0			15+15+15+15+15+15			450	33,7
EO 1000x500/45	45,0		68,0	7,5+7,5+15+15	1000	500	345	33,1
EO 1000x500/67	67,0		102,2 136,0	7,5+15+15+15+15			415	33,9
EO 1000x500/90	90,0			15+15+15+15+15+15			450	35,6

Габаритные размеры



