





Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-ECO BATTERY has been created beginning from these characteristics. It is the best solution to your needs and guarantees 2000 sqm of illuminated area. 14 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.











battery

9 m 936Kg 340

.

• Multi-directionally adjustable and tiltable floodlights

- 7 sections hydraulic vertical tower 9m, 340° rotatable
- Standard timer for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 14 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Certified wind stability up tp 110 km/h
- 4 height adjustable stabilizers
- On board levels for guidance during stabilization
- Running time 36 72 h
- 24 volt DC Battery
- Floodlights 4x100W
- Recharging in 11 hours
- 230V 1PH Battery charger built-in







Special events



Rural & hard to reach areas



Emergency response



Construction & work sites



Gas, oil & mining operations



Military applications












14 Units Per Truck



You can place 14 units on a single vehicle thanks to one of the compactest footprint on the market.




technical data

| Dimensions & weight | |
|----------------------|-------------------|
| Dimensions min. (mm) | 2320x1380x2420 |
| Dimensions max. (mm) | 2320x1550x9000 |
| Total weight | 936 Kg |
| Features | |
| Rotation | 340° |
| Floodlights | 4x100W |
| Lamps | LED |
| Timer | Built- in |
| IP level | 65 |
| Maximum Wind Speed | 110 Km/h |
| Battery charger | 230V 1Ph Built-in |
| | |

| Battery | | |
|-----------------------------|------------------------------|---------------|
| Model | | Trime |
| Туре | | AGM ZL 06 130 |
| Volt | | 24 |
| Expected battery cycle | | 500 |
| Expected battery life time | | 18000h |
| Running time | | 36 - 72 h |
| Charging time with floodlig | ghts off | 8 h |
| Factory options | | |
| Running time | 300 h dimmable configuration | |
| | | |

Standard load delivery


14 sets




Units Per Truck

Illuminated area

2000 sqm







Эксклюзивный официальный дистрибьютор TRIME на территории России и СНГ

+7 (495) 532-37-34 | +7 (925) 741-89-01 8 (800) 222-51-05 (Бесплатно для всех регионов)

www.legion-tehno.ru | trime@legion-tehno.ru