

TOP SELECTION GARDEN 2020 - MODERN RANGE






NEW PRODUCTS



BOLLARD



UP&DOWN



FLOODLIGHT



IN-GROUND



BRICKLIGHT



BULKHEAD



POLE

SOLAR RANGE



MADE IN ITALY



SOLAR MODULE



3 WORKING MODE			
	SUMMER MODE 1 flash	WINTER MODE 2 flash	SENSOR MODE 3 flash
	 15 % 42Lm 100 % 280Lm for 25 sec.	 7 % 20Lm 100 % 280Lm for 25 sec.	 OFF 100 % 280Lm for 25 sec.
	AUTONOMY 25h (at fully charged battery)	AUTONOMY 46h (at fully charged battery)	423 SENSOR DETECTIONS (at fully charged battery)
	CHARGING TIME 6h at 60.000 Lux (full sunny day)		
	STAND BY MODE OFF		
	NO WORKING TO PRESERVE THE BATTERY		

REPLACEABLE BATTERY	
	- LiFePO4 IFR 26650 3,3Ah-3,2V - No risk of explosion - Working temperature -10° to +60°C - Longer Lifetime
REPLACEABLE BATTERY	 NO WIRES NEEDED

MOTION SENSOR	
	- PIR Sensor control - Detection angle 120° - Fields of detection up to 5mt - Active for 25 sec.
SENSOR	 120° 5mt.

CCT SETTABLE LED	
	3000K/4000K/6500K
CCT SET	 3000 Kelvin 4000 Kelvin 6500 Kelvin
	 CRI >80 SDCM <6

SOLAR PANEL	
	5V/2W - Monocrystalline PET type - Antishock material
SOLAR PANEL	 ANTI SHOCK



CE
CB

LVD EMC ERP 6000h



MADE IN ITALY

4
NEWS
28
BOLLARD
46
UP&DOWN
54
FLOODLIGHT
64
IN-GROUND
68
BRICKLIGHT
74
BULKHEAD
92
POST
96
LAMPS

FELICE
SOLAR LED



FE1.575.S1KOP2



REFLECTOR - OPTIONAL COLOURS			
	CLEAR	BLUE	GREEN
code:	HX.SOL.RFL	HU.SOL.RFL	HN.SOL.RFL



SOLAR LED

FELICE

FELICE SOLAR				
SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
	3,3Ah 3,2V 	5V/2W	max 280Lm	6500K/4000K/3000K



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			REFLECTOR (STANDARD VERSION)
BLACK (A)	GREY (L)	WHITE (W)	OPAL (.OP2)

FELICE 800

FE1.575.S1KOP2
OPAL REFLECTOR

220
730
Ø155

NEW

Master box: **4pcs**

FELICE 400

FE1.574.S1KOP2
OPAL REFLECTOR

220
330
Ø155

NEW

Master box: **12pcs**

FELICE 200

FE1.573.S1KOP2
OPAL REFLECTOR

220
180

NEW

Master box: **18pcs**

FELICE 200 SPIKE

FE1.572.S1KOP2
OPAL REFLECTOR

220
180
180

NEW

Master box: **18pcs**

FIORINA
SOLAR LED



FI1.542.S1K



SOLAR LED


FIORINA/FORTUNATO

FELICE SOLAR				
SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
 SOLAR LED MODULE	3,3Ah 3,2V  REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K




AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A)	GREY (L)	WHITE (W)
		

FIORINA



FORTUNATO




STEVEN
BOLLARD RANGE



BOLLARD

STEVEN

STEVEN LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U)
			GREEN (N) ORANGE (R)


STEVEN



4000K	ST1.531.Z1L
3000K	ST1.531.Z1R

SPIKE INSTALLATION


GROUND INSTALLATION



Master box: 10pcs


ST1.531.Z1R

MAMETE
UP & DOWN



WALL INSTALLATION

2A3.000.Z1L



GROUND INSTALLATION




1A3.000.Z1L



UP & DOWN

MAMETE

MAMETE LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K



AVAILABLE COLORS				
COVER (MOULDED COLOURS)			DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)	BLUE (U)
				
			GREEN (N)	ORANGE (R)
				

MAMETE SQUARE

LED G9 LAMP INCLUDED

1,7W 4000K 1A3.000.Z1L 3000K 1A3.000.Z1R

NEW

Master box: 50pcs

MAMETE ROUND

LED G9 LAMP INCLUDED

1,7W 4000K 2A3.000.Z1L 3000K 2A3.000.Z1R

NEW

Master box: 50pcs

ALDO
IN-GROUND / RECESSED




1L1.000.Z1L



IN-GROUND/RECESSED

ALDO

ALDO LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS			DIFFUSER	
COVER (MOULDED COLOURS)			FROSTED (X)	BLUE (U)
BLACK (A)	GREY (L)	WHITE (W)	GREEN (N)	ORANGE (R)

ALDO

IN GROUND

1,7W 4000K 1L0.000.Z1L
3000K 1L0.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: 75pcs

RECESSED

ALDO 1L

IN GROUND

1,7W 4000K 1L1.000.Z1L
3000K 1L1.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: 75pcs

RECESSED

ALDO 2L

IN GROUND

1,7W 4000K 1L2.000.Z1L
3000K 1L2.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: 75pcs

RECESSED

ALDO SQUARE

IN GROUND

1,7W 4000K 1L4.000.Z1L
3000K 1L4.000.Z1R

NEW

LED G9 LAMP INCLUDED


Master box: 75pcs

RECESSED

DOWNLIGHT / DECKLIGHT



2L0.000.Z1L



DOWNLIGHT/DECKLIGHT

TERESA





TERESA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 G9 LED	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K



AVAILABLE COLORS				
COVER			DIFFUSER	
<i>(MOULDED COLOURS)</i>				
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)	BLUE (U)
				
			GREEN (N)	ORANGE (R)
				

TERESA





1,7W	4000K	2L0.000.Z1L
	3000K	2L0.000.Z1R



Master box: **75pcs**

TERESA SQUARE





4000K	2L4.000.Z1L
3000K	2L4.000.Z1R



Master box: **75pcs**

TERESA 1L




1,7W	4000K	2L1.000.Z1L
	3000K	2L1.000.Z1R



Master box: **75pcs**

TERESA 2L

1,7W	4000K	2L2.000.Z2L
	3000K	2L2.000.Z1R



Master box: **75pcs**

LIVIA RANGE
DOWNLIGHT



1A9.000.Z1L


AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)



DOWNLIGHT

LIVIA RANGE

LIVIA 60 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K



LIVIA 90 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K = 50W HALOGEN
	6W	600Lm	100-240V 50/60 Hz	4000K/2700K = 100W HALOGEN

LIVIA 60

LED G9 LAMP INCLUDED

4000K 1A9.000.Z1L

3000K 1A9.000.Z1R

Master box: 75pcs

LIVIA 90

LED GU10 LAMP INCLUDED

3,5W 2A9.000.U1K

6W 2A9.000.L1K

Master box: 30pcs

LIVIA RANGE
DOWNLIGHT



MADE IN ITALY

3A9.000.G1K


AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)



DOWNLIGHT

LIVIA RANGE

LIVIA 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT



LIVIA 180 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	15W	1800Lm	100-240V 50/60 Hz	4000K	= 50W HQI-SON
	30W	3500Lm	100-240V 50/60 Hz	4000K	= 70W HQI-SON

NEW

LED
GX53
LAMP
INCLUDED

CCT
SET

3W	3A9.000.G1K
7W	3A9.000.C1K
10W	3A9.000.D1K

Master box: 18pcs

NEW VERSION
CCT SETTABLE LAMP

NEW

IP43

LED
E27
HIGH
POWER
LAMP
INCLUDED

15W	4000K	4A9.000.R1L
	3000K	4A9.000.R1R
30W	4000K	4A9.000.Q1L
	3000K	4A9.000.Q1R

Master box: 12pcs

NINA RANGE
RECESSED



MADE IN ITALY

CCT SETTABLE

NEW

2700 K

4000 K

6500 K


SDCM <6



RECESSED

NINA RANGE

NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,2hW	400Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	850Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1100Lm	100-240V 50/60 Hz	6500K/4000K/2700K



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

NINA 150

CCT SET

LED R7s LAMP INCLUDED

3,2W

6C1.000.J1K

NEW VERSION
CCT SETTABLE LAMP

NEW

400 lm

50

50

145

50

Master box: 50pcs

NINA 190

CCT SET

LED R7s LAMP INCLUDED

7,5W

7C1.000.K1K

NEW VERSION
CCT SETTABLE LAMP

NEW

850 lm

50

50

185

50

Master box: 50pcs

NINA 270

CCT SET

LED R7s LAMP INCLUDED

10,5W

8C1.000.P1K

NEW VERSION
CCT SETTABLE LAMP

NEW

1100 lm

50


50

255

50

Master box: 30pcs

ABRAM RANGE
UP&DOWN



AB1.000.J1K

CCT SETTABLE

2700 K

4000 K

6500 K

SDCM <6


NEW



UP&DOWN

ABRAM RANGE

ADAM LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,2W	400Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	850Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1100Lm	100-240V 50/60 Hz	6500K/4000K/2700K



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

ABRAM 150

CCT SET

LED R7s LAMP INCLUDED

3,2W

AB1.000.J1K

NEW VERSION
CCT SETTABLE LAMP

400
lm

155

120

60

Master box: 30pcs

ABRAM 190

CCT SET

LED R7s LAMP INCLUDED

7,5W

AB2.000.K1K

NEW VERSION
CCT SETTABLE LAMP

850
lm

195

120

60

Master box: 30pcs

ABRAM 270

CCT SET

LED R7s LAMP INCLUDED

10,5W

AB3.000.P1K

NEW VERSION
CCT SETTABLE LAMP

1100
lm

265

120

60

Master box: 14pcs

LORENZA RANGE
SURFACE



AS1.000.J1K

CCT SETTABLE

2700 K

4000 K

6500 K


SDCM <6

NEW



SURFACE LORENZA RANGE

LORENZALED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,2W	400Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	850Lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1100Lm	100-240V 50/60 Hz	6500K/4000K/2700K



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

NEW

CCT SET

LED R7s LAMP INCLUDED

400 lm

NEW VERSION
CCT SETTABLE LAMP

150

150

45

Master box: 24pcs

NEW

CCT SET

LED R7s LAMP INCLUDED

850 lm

NEW VERSION
CCT SETTABLE LAMP

150

190

45

Master box: 24pcs

NEW

CCT SET

LED R7s LAMP INCLUDED

1100 lm

NEW VERSION
CCT SETTABLE LAMP

150

260

45

Master box: 14pcs

CARLO / CARLO DECO
BOLLARD RANGE



DR1.575



DR3.570



DR3.574

CCT SETTABLE

2700 K 4000 K


SDCM <6

NEW



BOLLARD CARLO / CARLO DECO

CARLO LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K = 50W HALOGEN
GU10 LED	6W	600Lm	100-240V 50/60 Hz	4000K/2700K = 100W HALOGEN



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A)	GREY (L)	WHITE (W)
CLEAR (X)		

CARLO 800

LED GU10 LAMP INCLUDED

CCT SET

3,5W	DR1.575.U1K
6W	DR1.575.L1K
3,5W	DR3.575.U1K
6W	DR3.575.L1K

NEW VERSION CCT SETTABLE LAMP

800

100

Ø155

Master box: 6pcs

CARLO 800 DECO

LED GU10 LAMP INCLUDED

CCT SET

800

100

Ø155

Master box: 6pcs

CARLO 400

LED GU10 LAMP INCLUDED

CCT SET

3,5W	DR1.574.U1K
6W	DR1.574.L1K
3,5W	DR3.574.U1K
6W	DR3.574.L1K

NEW VERSION CCT SETTABLE LAMP

400

100

Ø155

Master box: 12pcs

CARLO 400 DECO

LED GU10 LAMP INCLUDED

CCT SET


400

100

Ø155

Master box: 12pcs

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K	=  50W
	6W	600Lm	100-240V 50/60 Hz	4000K/2700K	=  100W









LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.573.U1K

6W

NEW

DR1.573.L1K

3,5W


DR3.573.U1K

6W

NEW

DR3.573.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.570.U1K

6W

NEW

DR1.570.L1K

3,5W


DR3.570.U1K

6W

NEW

DR3.570.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.572.U1K

6W

NEW

DR1.572.L1K

3,5W


DR3.572.U1K

6W

NEW

DR3.572.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.571.U1K

6W

NEW

DR1.571.L1K

3,5W


DR3.571.U1K

6W

NEW

DR3.571.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K	=  50W
	6W	600Lm	100-240V 50/60 Hz	4000K/2700K	=  100W







LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.570.U1K

6W

NEW

DR1.570.L1K

3,5W


DR3.570.U1K

6W

NEW

DR3.570.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.571.U1K

6W

NEW

DR1.571.L1K

3,5W


DR3.571.U1K

6W

NEW

DR3.571.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.571.U1K

6W

NEW

DR1.571.L1K

3,5W


DR3.571.U1K

6W

NEW

DR3.571.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs



LED
GU10 LAMP
INCLUDED

CCT
SET

3,5W

DR1.571.U1K

6W

NEW

DR1.571.L1K

3,5W


DR3.571.U1K

6W

NEW


DR3.571.L1K

NEW VERSION
CCT SETTABLE LAMP



Master box: 20pcs

AMELIA
BOLLARD RANGE




DR2.575



BOLLARD AMELIA

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	6W	800Lm	100-240V 50/60 Hz	4000K	60W INCANDESCENT
	8W	1000Lm		2700K	
	8W	1000Lm	100-240V 50/60 Hz	4000K	75W INCANDESCENT
	12W	1500Lm		2700K	
	12W	1500Lm	100-240V 50/60 Hz	4000K	100W INCANDESCENT
				2700K	




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

AMELIA 800



LED FILAMENT LAMP INCLUDED	6W	4000K	DR2.575.F1L
	2700K		DR2.575.F1R
	8W	4000K	DR2.575.M1L
	2700K		DR2.575.M1R
12W	4000K	DR2.575.N1L	
2700K		DR2.575.N1R	




Master box: **6pcs**

AMELIA 400



LED FILAMENT LAMP INCLUDED	6W	4000K	DR2.574.F1L
	2700K		DR2.574.F1R
	8W	4000K	DR2.574.M1L
	2700K		DR2.574.M1R
12W	4000K	DR2.574.N1L	
2700K		DR2.574.N1R	




Master box: **12pcs**

AMELIA 250



LED FILAMENT LAMP INCLUDED	6W	4000K	DR2.573.F1L
	2700K		DR2.573.F1R
	8W	4000K	DR2.573.M1L
	2700K		DR2.573.M1R
12W	4000K	DR2.573.N1L	
2700K		DR2.573.N1R	




Master box: **20pcs**

AMELIA SPIKE



LED FILAMENT LAMP INCLUDED	6W	4000K	DR2.572.F1L
	2700K		DR2.572.F1R
	8W	4000K	DR2.572.M1L
	2700K		DR2.572.M1R
12W	4000K	DR2.572.N1L	
2700K		DR2.572.N1R	



Master box: **20pcs**

AMELIA
WALL LAMP RANGE



MADE IN ITALY




DR2.570



BOLLARD AMELIA


AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	=  60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	=  75W INCANDESCENT
 FILAMENT LED E27 (A70)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	=  100W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)




AMELIA WALL		
 LED FILAMENT LAMP INCLUDED	6W	4000K 2700K
		DR2.570.F1L DR2.570.F1R
	8W	4000K 2700K
		DR2.570.M1L DR2.570.M1R
	12W	4000K 2700K
		DR2.570.N1L DR2.570.N1R



Master box: 20pcs



AMELIA-FS		
 LED FILAMENT LAMP INCLUDED	6W	4000K 2700K
		DR2.571.F1L DR2.571.F1R
	8W	4000K 2700K
		DR2.571.M1L DR2.571.M1R
	12W	4000K 2700K
		DR2.571.N1L DR2.571.N1R



Master box: 20pcs

ESTER
BOLLARD RANGE



DS1.564

CCT SETTABLE

NEW

3000 K

4000 K


6500 K

SDCM <6



BOLLARD
ESTER

ESTER LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	KELVIN SETTABLE	
	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY + STEPPED REFLECTOR			DIFFUSER
(MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

ESTER 800

LED GX53 LAMP INCLUDED

CCT SET

3W

7W

10W

DS1.564.G1K

DS1.564.C1K

DS1.564.D1K

NEW VERSION CCT SETTABLE LAMP

Master box: 6pcs

ESTER 500

LED GX53 LAMP INCLUDED

CCT SET

3W

7W

10W

DS1.563.G1K

DS1.563.C1K

DS1.563.D1K

NEW VERSION CCT SETTABLE LAMP

Master box: 12pcs

ESTER WALL

LED GX53 LAMP INCLUDED

CCT SET

3W

7W

10W

DS1.560.G1K

DS1.560.C1K

DS1.560.D1K

NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

ESTER SPIKE

LED GX53 LAMP INCLUDED

CCT SET

3W

7W

10W

DS1.561.G1K

DS1.561.C1K

DS1.561.D1K

NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

ELISA
BOLLARD RANGE



DS2.564

CCT SETTABLE

NEW

3000 K 4000 K 6500 K

SDCM <6



BOLLARD ELISA

ELISA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	KELVIN SETTABLE	
	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT

ENERGY CLASS A+

A+ A B C D E

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

WITH WHITE RESIN REFLECTOR

DIFFUSER

CLEAR (X)

ELISA 800

LED GX53 LAMP INCLUDED CCT SET

3W	DS2.564.G1K
7W	DS2.564.C1K
10W	DS2.564.D1K

NEW VERSION CCT SETTABLE LAMP Master box: 6pcs

ELISA 500

LED GX53 LAMP INCLUDED CCT SET

3W	DS2.563.G1K
7W	DS2.563.C1K
10W	DS2.563.D1K

NEW VERSION CCT SETTABLE LAMP Master box: 12pcs

ELISA WALL

LED GX53 LAMP INCLUDED CCT SET

3W	DS2.560.G1K
7W	DS2.560.C1K
10W	DS2.560.D1K

NEW VERSION CCT SETTABLE LAMP Master box: 18pcs

ELISA SPIKE

LED GX53 LAMP INCLUDED CCT SET

3W	DS2.561.G1K
7W	DS2.561.C1K
10W	DS2.561.D1K

NEW VERSION CCT SETTABLE LAMP Master box: 18pcs

GABRI-MINIGABRI REMI/LUCIA
BOLLARD



MADE IN ITALY



1R3.613.X10



BOLLARD

GABRI-MINIGABRI REMI/LUCIA

Table with 6 columns: LAMP, POWER, LUMINOUS FLUX, VOLTAGE RANGE, COLOUR TEMPERATURE, and INCANDESCENT equivalent. Rows show 7W, 11W, and 18W LED options.




Table showing available colors for resin body (Black, Grey, White) and diffuser (Opal).

Table for GABRI REMI/LUCIA 1L showing dimensions, lamp types (E27, GX53 LED), and color options.

Table for GABRI REMI/LUCIA 2L showing dimensions, lamp types (E27, GX53 LED), and color options.

Table for MINIGABRI REMI/LUCIA 1L showing dimensions, lamp types (E27, GX53 LED), and color options.

Table for MINIGABRI REMI/LUCIA 2L showing dimensions, lamp types (E27, GX53 LED), and color options.

GABRI-MINIGABRI REMI/MADDI
BOLLARD



MADE IN ITALY




1V3.613.X10



BOLLARD

GABRI-MINIGABRI REMI/MADDI

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GABRI REMI/MADDI 1L				
			E27	1V3.613.X10.E27
			GX53 LED 7W 3000K	1V3.613.X10.A1L
			GX53 LED 11W 3000K	1V3.613.X10.B1L
			GX53 LED 18W 3000K	1V3.613.X10.E1L
				1V3.613.X10.E1R

GABRI REMI/MADDI 2L				
			E27	1V3.613.X20.E27
			GX53 LED 7W 3000K	1V3.613.X20.A1L
			GX53 LED 11W 3000K	1V3.613.X20.B1L
			GX53 LED 18W 3000K	1V3.613.X20.E1L
				1V3.613.X20.E1R

MINIGABRI REMI/MADDI 1L				
			E27	1V3.612.X10.E27
			GX53 LED 7W 3000K	1V3.612.X10.A1L
			GX53 LED 11W 3000K	1V3.612.X10.B1L
			GX53 LED 18W 3000K	1V3.612.X10.E1L
				1V3.612.X10.E1R

MINIGABRI REMI/MADDI 2L				
			E27	1V3.612.X20.E27
			GX53 LED 7W 3000K	1V3.612.X20.A1L
			GX53 LED 11W 3000K	1V3.612.X20.B1L
			GX53 LED 18W 3000K	1V3.612.X20.E1L
				1V3.612.X20.E1R

PINELA-MINIPINELA
BOLLARD



2N1.613.010

CCT SETTABLE

NEW

3000 K

4000 K


6500 K

SDCM <6








BOLLARD PINELA-MINIPINELA

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	6500K /4000K /3000K	75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	6500K /4000K /3000K	100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	6500K /4000K /3000K	150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

PINELA 1L			
 	E27		2N1.613.010.P27
	2x3W 6W	CCT SET	2N1.613.010.G2K
	2x7W 14W	CCT SET	2N1.613.010.C2K
	2x10W 20W	CCT SET	2N1.613.010.D2K
PINELA 2L			
 	E27		2N1.613.020.P27
	2x 6W	CCT SET	2N1.613.020.G2K
	2x 14W	CCT SET	2N1.613.020.C2K
	2x 20W	CCT SET	2N1.613.020.D2K
MINIPINELA 1L			
 	E27		2N1.612.010.P27
	2x3W 6W	CCT SET	2N1.612.010.G2K
	2x7W 14W	CCT SET	2N1.612.010.C2K
	2x10W 20W	CCT SET	2N1.612.010.D2K
MINIPINELA 2L			
 	E27		2N1.612.020.P27
	2x 6W	CCT SET	2N1.612.020.G2K
	2x 14W	CCT SET	2N1.612.020.C2K
	2x 20W	CCT SET	2N1.612.020.D2K

FRANCA 90
UP&DOWN



3A7.002.U1K

CCT SETTABLE

NEW

SDCM <6

2700 K


4000 K



UP&DOWN

FRANCA 90

FRANCA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
FRANCA 90 1L	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K	=
	6W	600Lm	100-240V 50/60 Hz	4000K/2700K	=
FRANCA 90 2L	2X 2x 3,5W	700 Lm	100-240V 50/60 Hz	4000K/2700K	=
	2X 2x 6W	1200Lm	100-240V 50/60 Hz	4000K/2700K	=



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

DIFFUSER

BLACK (A) GREY (L) WHITE (W)

FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)

FRANCA 90

LED GU10 LAMP INCLUDED CCT SET

3,5W 3A7.000.U1K

6W NEW 3A7.000.L1K

NEW VERSION CCT SETTABLE LAMP

Master box: 30pcs

FRANCA 90 SPIKE

LED GU10 LAMP INCLUDED CCT SET

3,5W 3A7.001.U1K

6W NEW 3A7.001.L1K

NEW VERSION CCT SETTABLE LAMP

Master box: 30pcs

FRANCA 90-1L WALL

LED GU10 LAMP INCLUDED CCT SET

3,5W 3A7.002.U1K

6W NEW 3A7.002.L1K

NEW VERSION CCT SETTABLE LAMP

Master box: 30pcs

FRANCA 90-2L WALL

LED GU10 LAMP INCLUDED CCT SET


2x3,5W 7W 3A7.003.U2K

2x6W 12W NEW 3A7.003.L2K

NEW VERSION CCT SETTABLE LAMP

Master box: 20pcs

MARTA 90
UP&DOWN



2A4.000

CCT SETTABLE

NEW

SDCM <6

2700 K


4000 K



UP&DOWN

MARTA 90

MARTA90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
MARTA 90 1L	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN
	6W	600Lm	100-240V 50/60 Hz	4000K/2700K	= 100W HALOGEN
MARTA 90 2L	2X 2x 3,5W	700 Lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 50W HALOGEN
	2X 2x 6W	1200Lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 100W HALOGEN



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)

MARTA90 1L

LED GU10 LAMP INCLUDED
CCT SET

3,5W

1A4.000.U1K

6W

NEW

1A4.000.L1K

NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

MARTA90 2L

LED GU10 LAMP INCLUDED
CCT SET

2x3,5W

7W

2A4.000.U2K

2x6W

12W


NEW

2A4.000.L2K

NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

MARTA 160
UP&DOWN



1A6.000

CCT SETTABLE

NEW

3000 K

4000 K

6500 K


SDCM <6



UP&DOWN

MARTA 160

MARTA160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
MARTA160 1L 	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT
MARTA160 2L 	2x3W 6W	700Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 2x40W INCANDESCENT
	2x7W 14W	1600Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 2x75W INCANDESCENT
	2x10W 20W	2400Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 2x100W INCANDESCENT



AVAILABLE COLORS

RESIN BODY
(MOULDED COLOURS)

DIFFUSER

BLACK (A)

GREY (L)

WHITE (W)

FROSTED (X)

BLUE (U)

GREEN (N)

ORANGE (R)

MARTA160 1L

LED GX53 LAMP INCLUDED

CCT SET

E27	1A6.000.E27
3W	1A6.000.G1K
7W	1A6.000.C1K
10W	1A6.000.D1K

145

164

192

NEW VERSION
CCT SETTABLE LAMP

Master box: 18pcs

MARTA160 2L

LED GX53 LAMP INCLUDED

CCT SET

2x3W 6W	2A6.000.G2K
2x7W 14W	2A6.000.C2K
2x10W 20W	2A6.000.D2K

145

164

192

NEW VERSION
CCT SETTABLE LAMP

Master box: 18pcs


FRANCY
UP&DOWN



UP&DOWN

FRANCY

FRANCY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	6W	800Lm	100-240V 50/60 Hz	4000K	60W INCANDESCENT
				2700K	
2x	2x3W 6W	700Lm	100-240V 50/60 Hz	6500K/4000K/3000K	75W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LED
FILAMENT
LAMP
INCLUDED

6W	4000K	1A1.000.F1L
2700K	1A1.000.F1R	
6W+ SENSOR	4000K	1A1.000.S1L
2700K	1A1.000.S1R	

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

FILAMENT LED

FILAMENT LED + SENSOR

Master box: 24pcs

LED
LAMP
INCLUDED

E27		2A1.000.E27
6W FILAMENT LED	4000K	2A1.000.F1L
	2700K	2A1.000.F1R
2x3W 6W	CCT SET	2A1.000.G2K
E27 WITH SENSOR)))		2A1.000.ES7
220-240V		

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27

Master box: 24pcs



1A1.000.F1R

MINITOMMY
FLOODLIGHT



MADE IN ITALY



1M1.001

CCT SETTABLE

NEW

2700 K

4000 K


SDCM <6



FLOODLIGHT

MINITOMMY

MINITOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
MINITOMMY 1L	GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K/2700K = 50W HALOGEN
	GU10 LED	6W	600Lm	100-240V 50/60 Hz	4000K/2700K = 100W HALOGEN
MINITOMMY 2L	2x GU10 LED	2x 3,5W	700 Lm	100-240V 50/60 Hz	4000K/2700K = 2 x 50W HALOGEN
	2x GU10 LED	2x 6W	1200Lm	100-240V 50/60 Hz	4000K/2700K = 2 x 100W HALOGEN



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)

FULLY ADJUSTABLE POSITION

LED GU10 LAMP INCLUDED CCT SET

NEW VERSION CCT SETTABLE LAMP

MINITOMMY
3,5W 1M1.000.U1K
6W NEW 1M1.000.L1K
Master box: 30pcs

MINITOMMY SPIKE
3,5W 1M1.001.U1K
6W NEW 1M1.001.U1K
Master box: 30pcs

FULLY ADJUSTABLE POSITION

LED GU10 LAMP INCLUDED CCT SET

NEW VERSION CCT SETTABLE LAMP

MINITOMMY-EL
3,5W 1M2.000.U1K
6W NEW 1M2.000.L1K
Master box: 30pcs

MINITOMMY-EL SPIKE
3,5W 1M2.001.U1K
6W NEW 1M2.001.L1K
Master box: 30pcs

FULLY ADJUSTABLE POSITION

LED GU10 LAMP INCLUDED CCT SET

NEW VERSION CCT SETTABLE LAMP

MINITOMMY 2L
2x 3,5W 3M1.000.U2K
2x 6W NEW 3M1.000.L2K
Master box: 18pcs

MINITOMMY 2L SPIKE
2x 3,5W 3M1.001.U2K
2x 6W NEW 3M1.001.L2K
Master box: 18pcs

FULLY ADJUSTABLE POSITION

LED GU10 LAMP INCLUDED CCT SET

NEW VERSION CCT SETTABLE LAMP

MINITOMMY-EL 2L
2x 3,5W 3M2.000.U2K
2x 6W NEW 3M1.000.L2K
Master box: 18pcs

MINITOMMY-EL 2L SPIKE
2x 3,5W 3M2.001.U2K
2x 6W NEW 3M2.001.L2K
Master box: 18pcs


TOMMY
FLOODLIGHT



FLOODLIGHT

TOMMY


TOMMY LED VERSIONS					NEW
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
 GX53	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	 40W INCANDESCENT
 GX53	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	 75W INCANDESCENT
 GX53	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	 100W INCANDESCENT




AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A) 	GREY (L) 	WHITE (W) 
DIFFUSER		
FROSTED (X)		BLUE (U) 
GREEN (N) 	ORANGE (R) 	




TOMMY-SQ		TOMMY-SQ SPIKE	
3W	5M1.000.G1K	3W	5M1.001.G1K
7W	5M1.000.C1K	7W	5M1.001.C1K
10W	5M1.000.D1K	10W	5M1.001.D1K



TOMMY		TOMMY SPIKE	
3W	2M1.000.G1K	3W	2M1.001.G1K
7W	2M1.000.C1K	7W	2M1.001.C1K
10W	2M1.000.D1K	10W	2M1.001.D1K



TOMMY-EL		TOMMY-EL SPIKE	
3W	2M2.000.G1K	3W	2M2.001.G1K
7W	2M2.000.C1K	7W	2M2.001.C1K
10W	2M2.000.D1K	10W	2M2.001.D1K



CCT SETTABLE

3000 K 4000 K 6500 K

SDCM <6

2M1.000

■■■■■ **MADE IN ITALY** ■■■■■

57

TOMMY 2L
FLOODLIGHT



4M1.001

CCT SETTABLE

NEW

SDCM <6

3000 K

4000 K


6500 K



FLOODLIGHT

TOMMY 2L

TOMMY-2L LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)		DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)	



LED GX53 LAMP INCLUDED CCT SET


TOMMY-SQ 2L	
2x 3W	6M1.000.G2K
2x 7W	6M1.000.C2K
2x 10W	6M1.000.D2K

NEW VERSION CCT SETTABLE LAMP



Master box: 8pcs

TOMMY-SQ 2L SPIKE	
2x 3W	6M1.001.G2K
2x 7W	6M1.001.C2K
2x 10W	6M1.001.D2K




Master box: 8pcs



LED GX53 LAMP INCLUDED CCT SET


TOMMY 2L	
2x 3W	4M1.000.G2K
2x 7W	4M1.000.C2K
2x 10W	4M1.000.D2K

NEW VERSION CCT SETTABLE LAMP



Master box: 8pcs

TOMMY 2L SPIKE	
2x 3W	4M1.001.G2K
2x 7W	4M1.001.C2K
2x 10W	4M1.001.D2K




Master box: 8pcs



LED GX53 LAMP INCLUDED CCT SET


TOMMY-EL 2L	
2x 3W	4M2.000.G2K
2x 7W	4M2.000.C2K
2x 10W	4M2.000.D2K

NEW VERSION CCT SETTABLE LAMP



Master box: 8pcs

TOMMY-EL 2L SPIKE	
2x 3W	4M2.001.G2K
2x 7W	4M2.001.C2K
2x 10W	4M2.001.D2K



Master box: 8pcs

MADE IN ITALY

GERMANA
FLOODLIGHT



2N1.000

CCT SETTABLE

NEW

3000 K

4000 K

6500 K

SDCM <6

SUPPLIED FULLY PRE-WIRED

2x GX53 LED

E27

E27 + SENSOR

WITH SENSOR)))

220-240V

(.PS7)



FLOODLIGHT

GERMANA

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 150W INCANDESCENT

ENERGY CLASS

A++

A+

A

B

C

D

E

A+

AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GERMANA

LED GX53 LAMP INCLUDED

CCT SET

NEW VERSION

CCT SETTABLE LAMP

E27

2N1.000.P27

2x3W 6W

2N1.000.G2K

2x7W 14W

2N1.000.C2K

2x10W 20W

2N1.000.D2K

180

250

160

250

Master box: 18pcs

GIOVA/GERMANA

LED GX53 LAMP INCLUDED

CCT SET

NEW VERSION

CCT SETTABLE LAMP

E27

2N1.702.P27

2x3W 6W

2N1.702.G2K

2x7W 14W

2N1.702.C2K

2x10W 20W

2N1.702.D2K

180

250

300

300

300

Master box: 18pcs

GIUSEPPE
FLOODLIGHT



MADE IN
ITALY



4P2.000

SUPPLIED FULLY PRE-WIRED

GX53 LED	GX53 LED + SENSOR	4x GX53 LED	2x E27	2x E27 + SENSOR
WITH SENSOR))) (220-240V) 7W 4000K (.ASL) 7W 3000K (.ASR) 11W 4000K (.BSL) 11W 3000K (.BSR) 18W 4000K (.ESL) 18W 3000K (.ESR)			WITH SENSOR))) 220-240V (.ES8)	




FLOODLIGHT

GIUSEPPE

GIUSEPPE LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	= 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	= 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	= 150W INCANDESCENT
	4x7W 28W	3200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 70W INCANDESCENT
	4x10W 40W	4800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 100W INCANDESCENT

NEW



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GIUSEPPE		
 LED GX53 LAMP INCLUDED	2x E27	4P2.000.E28
	7W 4000K 3000K	4P1.000.A1L 4P1.000.A1R
	11W 4000K 3000K	4P1.000.B1L 4P1.000.B1R
	18W 4000K 3000K	4P1.000.E1L 4P1.000.E1R
	4x7W 28W CCT SET	4P2.000.C4K
	4x10W 40W CCT SET	4P2.000.D4K
 Master box: 10pcs		

GIOVA/GIUSEPPE		
 LED GX53 LAMP INCLUDED	2x E27	4P2.702.E28
	7W 4000K 3000K	4P1.702.A1L 4P1.702.A1R
	11W 4000K 3000K	4P1.702.B1L 4P1.702.B1R
	18W 4000K 3000K	4P1.702.E1L 4P1.702.E1R
	4x7W 28W CCT SET	4P2.702.C4K
	4x10W 40W CCT SET	4P2.702.D4K
 Master box: 10pcs		

MADE IN ITALY

AVAILABLE COLORS

COVER
(MOULDED COLOURS)

BLACK (A) GREY (L)

DIFFUSER

FROSTED (X)
BLUE (U) GREEN (N) ORANGE (R)




CECI 120 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	 40W INCANDESCENT

CECI 120



3W2F1.000.G1K




NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

CECI 120-2L



3W2F2.000.G1K




NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

CECI 120-3L



3W2F3.000.G1K




NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

CECI 120-SQ



3W2F4.000.G1K



NEW VERSION CCT SETTABLE LAMP

Master box: 36pcs

IN-GROUND



CECI 160 LED VERSIONS



7W800Lm

100-240V 50/60 Hz

6500K/4000K/3000K

 75W INCANDESCENT



10W1200Lm

100-240V 50/60 Hz


6500K/4000K/3000K

 100W INCANDESCENT

CECI 160



7W3F1.000.C1K




NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

CECI 160-2L



7W3F2.000.C1K




NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

CECI 160-3L



7W3F3.000.C1K




NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

CECI 160-SQ



7W3F4.000.C1K



NEW VERSION CCT SETTABLE LAMP

Master box: 18pcs

LETI RANGE
BRICKLIGHT



CCT SETTABLE **NEW**

3000 K 4000 K 6500 K


SDCM <6



BRICKLIGHT

LETI/EXTRALETI 100 ROUND

LETI/EXTRALETI 100 LED VERSIONS NEW					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 100 ROUND

CCT SET LED 3W GX53 LAMP INCLUDED 2C1.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

EXTRALETI 100 ROUND

CCT SET LED 3W GX53 LAMP INCLUDED 2S1.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

LETI 100 ROUND-GR

CCT SET LED 3W GX53 LAMP INCLUDED 2C2.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

EXTRALETI 100 ROUND-GR

CCT SET LED 3W GX53 LAMP INCLUDED 2S2.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

LETI 100 ROUND-EL

CCT SET LED 3W GX53 LAMP INCLUDED 2C3.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

EXTRALETI 100 ROUND-EL

CCT SET LED 3W GX53 LAMP INCLUDED 2S3.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

LETI 100 ROUND-ST

CCT SET LED 3W GX53 LAMP INCLUDED 2C4.000.G1K


NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

EXTRALETI 100 ROUND-ST

CCT SET LED 3W GX53 LAMP INCLUDED 2S4.000.G1K

NEW VERSION CCT SETTABLE LAMP Master box: **48pcs**

LETI/EXTRALETI 100 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
	3W	350lm	100-240V 50/60 Hz	6500K/4000K/3000K
 = 40W INCANDESCENT				




AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

LETI 100 SQUARE

CCT SET LED 3W
GX53 LAMP INCLUDED

3C1.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

EXTRALETI 100 SQUARE

CCT SET LED 3W
GX53 LAMP INCLUDED

3S1.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

LETI 100 SQUARE-GR

CCT SET LED 3W
GX53 LAMP INCLUDED

3C2.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

EXTRALETI 100 SQUARE-GR

CCT SET LED 3W
GX53 LAMP INCLUDED

3S2.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

LETI 100 SQUARE-EL

CCT SET LED 3W
GX53 LAMP INCLUDED

3C3.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

EXTRALETI 100 SQUARE-EL

CCT SET LED 3W
GX53 LAMP INCLUDED

3S3.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

LETI 100 SQUARE-ST

CCT SET LED 3W
GX53 LAMP INCLUDED

3C4.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

EXTRALETI 100 SQUARE-ST

CCT SET LED 3W
GX53 LAMP INCLUDED


3S4.000.G1K



NEW VERSION
CCT SETTABLE LAMP

Master box: 48pcs

LETI/EXTRALETI 200 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE
	3W	350lm	100-240V 50/60 Hz	6500K/4000K/3000K
 = 40W INCANDESCENT				




AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

LETI 200

CCT SET LED 3W
GX53 LAMP INCLUDED

4C1.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

EXTRALETI 200

CCT SET LED 3W
GX53 LAMP INCLUDED

4S1.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

LETI 200-GL

CCT SET LED 3W
GX53 LAMP INCLUDED

4C2.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

EXTRALETI 200-GL

CCT SET LED 3W
GX53 LAMP INCLUDED

4S2.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

LETI 200-RS

CCT SET LED 3W
GX53 LAMP INCLUDED

4C3.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

EXTRALETI 200-RS

CCT SET LED 3W
GX53 LAMP INCLUDED

4S3.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

LETI 200-HS

CCT SET LED 3W
GX53 LAMP INCLUDED

4C4.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

EXTRALETI 200-HS

CCT SET LED 3W
GX53 LAMP INCLUDED

4S4.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

LETI 200-VP

CCT SET LED 3W
GX53 LAMP INCLUDED

4C5.000.G1K




NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

EXTRALETI 200-VP

CCT SET LED 3W
GX53 LAMP INCLUDED

4S5.000.G1K



NEW VERSION
CCT SETTABLE LAMP

Master box: 36pcs

LETI 300/EXTRALETI 300
BRICKLIGHT




MADE IN ITALY



5S1.000

NEW SLIMMER BODY VERSION



CCT SETTABLE **NEW**

3000 K 4000 K 6500 K


SDCM <6



BRICKLIGHT

LETI/EXTRALETI 300

LETI/EXTRALETI 300 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x 3W 6W	700Lm	100-240V 50/60 Hz	6500K/4000K/3000K	40W INCANDESCENT
				6500K/4000K/3000K	
				6500K/4000K/3000K	



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 300

CCT SET LED 3W GX53 LAMP INCLUDED

5C1.000.G2K

E27 5C1.000.E27

NEW VERSION CCT SETTABLE LAMP Master box: 24pcs

EXTRALETI 300

CCT SET LED 3W GX53 LAMP INCLUDED

5S1.000.G2K

NEW VERSION CCT SETTABLE LAMP Master box: 20pcs

LETI 300-GL

CCT SET LED 3W GX53 LAMP INCLUDED

5C2.000.G2K

E27 5C2.000.E27

NEW VERSION CCT SETTABLE LAMP Master box: 24pcs

EXTRALETI 300-GL

CCT SET LED 3W GX53 LAMP INCLUDED

5S2.000.G2K

NEW VERSION CCT SETTABLE LAMP Master box: 20pcs

LETI 300-RS

CCT SET LED 3W GX53 LAMP INCLUDED

5C3.000.G2K

E27 5C3.000.E27

NEW VERSION CCT SETTABLE LAMP Master box: 24pcs

EXTRALETI 300-RS

CCT SET LED 3W GX53 LAMP INCLUDED

5S3.000.G2K

NEW VERSION CCT SETTABLE LAMP Master box: 20pcs

LETI 300-HS

CCT SET LED 3W GX53 LAMP INCLUDED

5C4.000.G2K

E27 5C4.000.E27

NEW VERSION CCT SETTABLE LAMP Master box: 24pcs

EXTRALETI 300-HS

CCT SET LED 3W GX53 LAMP INCLUDED

5S4.000.G2K

NEW VERSION CCT SETTABLE LAMP Master box: 20pcs

LETI 300-VP

CCT SET LED 3W GX53 LAMP INCLUDED

5C5.000.G2K

E27 5C5.000.E27

Master box: 24pcs

NEW VERSION CCT SETTABLE LAMP

EXTRALETI 300-VP

CCT SET LED 3W GX53 LAMP INCLUDED

5S5.000.G2K

Master box: 20pcs

NEW VERSION CCT SETTABLE LAMP

BERTINA
BULKHEAD

Ø200

BERTINA

Ø275

BERTA

Ø350

UMBERTA



since 1973

UV
UV-TREATED

ANTISHOCK

RECYCLABLE

CE

CB
IECEE CB
SCHEME

IP66

DOUBLE
INSULATION
CLASS



1B1.000

NO SCREWS
AT SIGHT

CCT SETTABLE

NEW

3000 K

4000 K

6500 K

SDCM <6






BULKHEAD

BERTINA

BERTINA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	
 GX53	3W	350Lm	100-240V 50/60 Hz	6500K/4000K/3000K	=  40W INCANDESCENT
 GX53	7W	800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	=  75W INCANDESCENT
 GX53	10W	1200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	=  100W INCANDESCENT



AVAILABLE COLORS

RESIN BODY
(MOULDED COLOURS)

DIFFUSER

BLACK (A)

GREY (L)

WHITE (W)

OPAL (Y)

BERTINA

LED
GX53
LAMP
INCLUDED

CCT
SET

3W


1B1.000.G1K

7W

1B1.000.C1K

10W

1B1.000.D1K



NEW VERSION
CCT SETTABLE LAMP

Master box: 45pcs

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

GX53 LED-CCT SETTABLE

CCT SET



3W

7W

10W

BERTA
BULKHEAD

Ø200

BERTINA

Ø275

BERTA

Ø350

UMBERTA



fumagalli
since 1973

UV
UV-TREATED

ANTI-SHOCK

RECYCLABLE

CE

CB
IECEE CB
SCHEME

IP66

DOUBLE
INSULATION
GLASS

1B2.000


NO SCREWS
AT SIGHT



BULKHEAD

BERTA

BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53 LED	7W	600Lm	100-240V 50/60 Hz	4000K	=  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	=  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	=  150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

BERTA

E27		1B2.000.P27
E27 WITH SENSOR 		1B2.000.PS7
7W LED	4000K	1B2.000.A1L
11W LED	3000K	1B2.000.A1R
11W LED	4000K	1B2.000.B1L
11W LED	3000K	1B2.000.B1R
18W LED	4000K	1B2.000.E1L
18W LED	3000K	1B2.000.E1R

LED
GX53
LAMP
INCLUDED



Master box: 16pcs

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27

E27 +SENSOR



GX53 LED



UMBERTA
BULKHEAD

Ø200

BERTINA

Ø275

BERTA

Ø350

UMBERTA



fumagalli
since 1973

UV

UV-TREATED

ANTISHOCK

ANTISHOCK

RECYCLABLE

RECYCLABLE

CE

CE

CB

IECEE CB SCHEME

IP66

IP66

DOUBLE INSULATION CLASS

DOUBLE INSULATION CLASS

1B3.000


NO SCREWS
AT SIGHT



BULKHEAD

UMBERTA

UMBERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	=  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	=  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	=  150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			



LED
GX53
LAMP
INCLUDED

E27	1B3.000.E27
2x E27	1B3.000.E28
7W LED 4000K	1B3.000.A1L
7W LED 3000K	1B3.000.A1R
11W LED 4000K	1B3.000.B1L
11W LED 3000K	1B3.000.B1R
18W LED 4000K	1B3.000.E1L
18W LED 3000K	1B3.000.E1R



Master box: **12pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27



2x E27





GX53 LED





EMERGENCY



UMBERTA EMERGENCY - LED VERSIONS					
EMERGENCY KIT	MODE	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	NORMAL	15W	2000Lm	220-240V 50/60 Hz	4000K
	EMERGENCY (min 3 hours)	2,4W	250Lm	220-240V 50/60 Hz	4000K

UMBERTA LED MAINTAINED EMERGENCY

LED

4000K

1B3.000.EM1

PRODUCT TYPE	Wall and Ceiling bulkhead with Emergency kit
OPERATING VOLTAGE	220~240 vAC
LUMINOUS FLUX & POWER	2000 lumen (Normal mode), 15W 250 lumen (Emergency mode), 2.4W
LED TYPE	Edison SMD 2835, 4000 K
CRI	>80Ra
PF (POWER FACTOR)	>0.95
BEAM ANGLE	120°
OPERATING TEMPERATURE	0~50°C
BATTERY	Ni-MH, BK370Ah3.6V,Panasonic (3.5Ah,3.6V)
BATTERY OPERATING TIME	min 3 hours (250 lumen)
BATTERY CHARGING TIME	24 hours
Drivers Standards	EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22 EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3
Battery Standards	EN 5501-1, EN 61000, EN 55014-2

350

350

94

350

HOW IT WORKS



In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.

Green Led: identifies the emergency light and shows that the system is operating correctly.

Provided with built-in test button to check battery status.



SENSOR



BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	= 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	= 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	= 150W INCANDESCENT

UMBERTA MOTION & DAYLIGHT SENSOR

E27 WITH SENSOR »»

1B3.000.ES7

2x E27 WITH SENSOR »»

1B3.000.ES8

7W LED GX53 WITH SENSOR »»

4000K
3000K

1B3.000.ASL
1B3.000.ASR

11W LED GX53 WITH SENSOR »»

4000K
3000K

1B3.000.BSL
1B3.000.BSR

18W LED GX53 WITH SENSOR »»

4000K
3000K

1B3.000.ESL
1B3.000.ESR

Product Type	Wall and Ceiling bulkhead with Motion&Daylight sensor
Sensor operating voltage	220~240 vAC (120v version available on demand)
Version	GX53 LED, E27, 2xE27
Sensor Operating Temperature	-10° +60°C
Detection angle	30° - 150°
Fields of detection	1 - up to 5 mt (adjustable)

350

350

94

350

E27 VERSION

2xE27 VERSION

GX53 LED VERSION

7W (800lm)
11W (1300lm)
18W (2000lm)
GX53 LED module


GELMI
BULKHEAD



BULKHEAD

GELMI RANGE

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	= 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	= 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GELMI			
			E27 1G3.000.E27
			GX53 LED 7W 4000K 1G3.000.A1L 3000K 1G3.000.A1R
			GX53 LED 11W 4000K 1G3.000.B1L 3000K 1G3.000.B1R
			GX53 LED 18W 4000K 1G3.000.E1L 3000K 1G3.000.E1R

GELMI-EL			
			E27 2G3.000.E27
			GX53 LED 7W 4000K 2G3.000.A1L 3000K 2G3.000.A1R
			GX53 LED 11W 4000K 2G3.000.B1L 3000K 2G3.000.B1R
			GX53 LED 18W 4000K 2G3.000.E1L 3000K 2G3.000.E1R

GELMI-GR			
			E27 3G3.000.E27
			GX53 LED 7W 4000K 3G3.000.A1L 3000K 3G3.000.A1R
			GX53 LED 11W 4000K 3G3.000.B1L 3000K 3G3.000.B1R
			GX53 LED 18W 4000K 3G3.000.E1L 3000K 3G3.000.E1R

DANZI
BULKHEAD



1D3.000

SUPPLIED FULLY PRE-WIRED

GX53 LED

E27

E27 + SENSOR




WITH SENSOR »
220-240V
(E27)



BULKHEAD


DANZI RANGE

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	=  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	=  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	=  150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

DANZI




LED
GX53
LAMP
INCLUDED

Master box: 16pcs

E27		1D3.000.E27
GX53 LED 7W	4000K	1D3.000.A1L
	3000K	1D3.000.A1R
GX53 LED 11W	4000K	1D3.000.B1L
	3000K	1D3.000.B1R
GX53 LED 18W	4000K	1D3.000.E1L
	3000K	1D3.000.E1R

DANZI-VE




LED
GX53
LAMP
INCLUDED

Master box: 16pcs

E27		2D3.000.E27
GX53 LED 7W	4000K	2D3.000.A1L
	3000K	2D3.000.A1R
GX53 LED 11W	4000K	2D3.000.B1L
	3000K	2D3.000.B1R
GX53 LED 18W	4000K	2D3.000.E1L
	3000K	2D3.000.E1R

DANZI-GR



LED
GX53
LAMP
INCLUDED

Master box: 16pcs

E27		3D3.000.E27
GX53 LED 7W	4000K	3D3.000.A1L
	3000K	3D3.000.A1R
GX53 LED 11W	4000K	3D3.000.B1L
	3000K	3D3.000.B1R
GX53 LED 18W	4000K	3D3.000.E1L
	3000K	3D3.000.E1R

STUCCHI
BULKHEAD



1U3.000

SUPPLIED FULLY PRE-WIRED

GX53 LED

E27

E27 + SENSOR

WITH SENSOR)))
220-240V
(.ES7)

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR
.CL1

PINK
.PK1

BLUE
.BU1

GREEN
.GN1


ORANGE
.OR1



BULKHEAD

RITA - STUCCHI - CECCHI

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	= 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	= 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

STUCCHI

31090

LED
GX53
LAMP
INCLUDED

E27	1U3.000.E27
GX53 LED 7W 3000K	4000K 1U3.000.A1L 3000K 1U3.000.A1R
GX53 LED 11W 3000K	4000K 1U3.000.B1L 3000K 1U3.000.B1R
GX53 LED 18W 3000K	4000K 1U3.000.E1L 3000K 1U3.000.E1R

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR
.CL1

PINK
.PK1

BLUE
.BU1

GREEN
.GN1

ORANGE
.OR1

Master box: 16pcs

CECCHI

24590338

LED
GX53
LAMP
INCLUDED

E27	1H3.000.E27
GX53 LED 7W 3000K	4000K 1H3.000.A1L 3000K 1H3.000.A1R
GX53 LED 11W 3000K	4000K 1H3.000.B1L 3000K 1H3.000.B1R
GX53 LED 18W 3000K	4000K 1H3.000.E1L 3000K 1H3.000.E1R

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR
.CL1

PINK
.PK1

BLUE
.BU1

GREEN
.GN1

ORANGE
.OR1

Master box: 16pcs

RITA

Ø35590

LED
GX53
LAMP
INCLUDED

E27	1T3.000.E27
GX53 LED 7W 3000K	4000K 1T3.000.A1L 3000K 1T3.000.A1R
GX53 LED 11W 3000K	4000K 1T3.000.B1L 3000K 1T3.000.B1R
GX53 LED 18W 3000K	4000K 1T3.000.E1L 3000K 1T3.000.E1R

PAINTED COLOURS

*To order the painted colour version of RITA, the following suffixes have to be added at the end of the code.

MOULDED COLOURS
BLACK(A) WHITE(W)

ANTIQUE GREEN(V) ANTIQUE BRONZE(B)

Master box: 12pcs

LUCIA
BULKHEAD



BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1
---------------	--------------	--------------	---------------	----------------

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

WITH SENSOR)))
220-240V
(.ES7)

BRACKET VERSION AVAILABLE


2R3.602



BULKHEAD

LUCIA RANGE

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	= 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	= 150W INCANDESCENT



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LUCIA		REMI/LUCIA	
E27	1R3.000.E27	E27	1R3.602.E27
	GX53 4000K 1R3.000.A1L LED 7W 3000K 1R3.000.A1R	GX53 4000K 1R3.602.A1L LED 7W 3000K 1R3.602.A1R	
	GX53 4000K 1R3.000.B1L LED 11W 3000K 1R3.000.B1R	GX53 4000K 1R3.602.B1L LED 11W 3000K 1R3.602.B1R	
	GX53 4000K 1R3.000.E1L LED 18W 3000K 1R3.000.E1R	GX53 4000K 1R3.602.E1L LED 18W 3000K 1R3.602.E1R	
Master box: 16pcs		Master box: 16pcs	

LUCIA-EL		REMI/LUCIA-EL	
E27	2R3.000.E27	E27	2R3.602.E27
	GX53 4000K 2R3.000.A1L LED 7W 3000K 2R3.000.A1R	GX53 4000K 2R3.602.A1L LED 7W 3000K 2R3.602.A1R	
	GX53 4000K 2R3.000.B1L LED 11W 3000K 2R3.000.B1R	GX53 4000K 2R3.602.B1L LED 11W 3000K 2R3.602.B1R	
	GX53 4000K 2R3.000.E1L LED 18W 3000K 2R3.000.E1R	GX53 4000K 2R3.602.E1L LED 18W 3000K 2R3.602.E1R	
Master box: 16pcs		Master box: 16pcs	

LUCIA-GD		REMI/LUCIA-GD	
E27	3R3.000.E27	E27	3R3.602.E27
	GX53 4000K 3R3.000.A1L LED 7W 3000K 3R3.000.A1R	GX53 4000K 3R3.602.A1L LED 7W 3000K 3R3.602.A1R	
	GX53 4000K 3R3.000.B1L LED 11W 3000K 3R3.000.B1R	GX53 4000K 3R3.602.B1L LED 11W 3000K 3R3.602.B1R	
	GX53 4000K 3R3.000.E1L LED 18W 3000K 3R3.000.E1R	GX53 4000K 3R3.602.E1L LED 18W 3000K 3R3.602.E1R	
Master box: 16pcs		Master box: 16pcs	

MADDI
BULKHEAD



1V3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.



SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE




1V3.602



BULKHEAD

MADDI RANGE

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K	150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

MADDI		REMI/MADDI	
E27	1V3.000.E27	E27	1V3.602.E27
GX53 LED 7W 4000K 3000K	1V3.000.A1L 1V3.000.A1R	GX53 LED 7W 4000K 3000K	1V3.602.A1L 1V3.602.A1R
GX53 LED 11W 4000K 3000K	1V3.000.B1L 1V3.000.B1R	GX53 LED 11W 4000K 3000K	1V3.602.B1L 1V3.602.B1R
GX53 LED 18W 4000K 3000K	1V3.000.E1L 1V3.000.E1R	GX53 LED 18W 4000K 3000K	1V3.602.E1L 1V3.602.E1R
 Master box: 16pcs		 Master box: 16pcs	

MADDI-VE		REMI/MADDI-VE	
E27	2V3.000.E27	E27	2V3.602.E27
GX53 LED 7W 4000K 3000K	2V3.000.A1L 2V3.000.A1R	GX53 LED 7W 4000K 3000K	2V3.602.A1L 2V3.602.A1R
GX53 LED 11W 4000K 3000K	2V3.000.B1L 2V3.000.B1R	GX53 LED 11W 4000K 3000K	2V3.602.B1L 2V3.602.B1R
GX53 LED 18W 4000K 3000K	2V3.000.E1L 2V3.000.E1R	GX53 LED 18W 4000K 3000K	2V3.602.E1L 2V3.602.E1R
 Master box: 16pcs		 Master box: 16pcs	

MADDI-HL		REMI/MADDI-HL	
E27	3V3.000.E27	E27	3V3.602.E27
GX53 LED 7W 4000K 3000K	3V3.000.A1L 3V3.000.A1R	GX53 LED 7W 4000K 3000K	3V3.602.A1L 3V3.602.A1R
GX53 LED 11W 4000K 3000K	3V3.000.B1L 3V3.000.B1R	GX53 LED 11W 4000K 3000K	3V3.602.B1L 3V3.602.B1R
GX53 LED 18W 4000K 3000K	3V3.000.E1L 3V3.000.E1R	GX53 LED 18W 4000K 3000K	3V3.602.E1L 3V3.602.E1R
 Master box: 16pcs		 Master box: 16pcs	

GIORGIO / ROSA
POST



AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

OPAL (Y)

AVAILABLE VERSIONS

GX53 LED	4x GX53	2x E27
LED GX53	LED GX53	CFL LED



POST

EKTOR / GIORGIO - ROSA

GIORGIO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT
	4x7W 28W	3200Lm	100-240V 50/60 Hz	6500K/4000K/3000K	70W HQI-SON
	4x10W 40W	4800Lm	100-240V 50/60 Hz	6500K/4000K/3000K	100W HQI-SON

ROSA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	2x11W 22W	2600Lm	100-240V 50/60 Hz	4000K 3000K	2x100W INCANDESCENT
	2x18W 36W	4000Lm	100-240V 50/60 Hz	4000K 3000K	2x150W INCANDESCENT
	2x28W 56W	6400Lm	100-240V 50/60 Hz	6500K/4000K/3000K	2x70W HQI-SON
	2x40W 80W	9600Lm	100-240V 50/60 Hz	6500K/4000K/3000K	2x100W HQI-SON

EKTOR 2500 /GIORGIO		
E27	4P2.361.G10.E28	
11 W	4000K 3000K	4P1.361.G10.B1L 4P1.361.G10.B1R
18 W	4000K 3000K	4P1.361.G10.E1L 4P1.361.G10.E1R
4x7W 28W	CCT SET	4P2.361.G10.C4K
4x10W 40W	CCT SET	4P2.361.G10.D4K

EKTOR 2500 /ROSA		
2x E27	4P2.361.G20.E28	
2x 11W	4000K 3000K	4P1.361. G20.B1L 4P1.361. G20.B1R
2x 18W	4000K 3000K	4P1.361. G20.E1L 4P1.361. G20.E1R
2x 28W	CCT SET	4P2.361. G20.C4K
2x 40W	CCT SET	4P2.361. G20.D4K

420

2700

Ø 265


700

2700

Ø 265

BEPPE 400/VIVI 400

POST



NEW HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

30W (3500 lm)
50W (5300 lm)


More details at page 103



POST

EKTOR / BEPPE-VIVI 400

BEPPE-VIVI 400 HIGH POWER LED					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
HIGH POWER LED E27	30W	3500Lm	100-240V 50/60 Hz	4000K 3000K	= 50W HQI-SON
HIGH POWER LED E27	50W	5300Lm	100-240V 50/60 Hz	4000K 3000K	= 70W HQI-SON




AVAILABLE COLORS				
RESIN BODY (MOULDED COLOURS)			DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)


EKTOR 2500 / BEPPE400			
30W LED	4000K	P50.361.Q1L	
	3000K	P50.361.Q1R	
50W LED	4000K	P50.361.H1L	
	3000K	P50.361.H1R	

EKTOR 2500 MIDIPILAR / VIVI400 1L			
30W LED	4000K	V50.361.A10.Q1L	
	3000K	V50.361.A10.Q1R	
50W LED	4000K	V50.361.A10.H1L	
	3000K	V50.361.A10.H1R	


HIGH POWER LED VERSION




480




3065




745




2755



HIGH POWER LED VERSION



MADE IN ITALY




- Power surges resistant**
 - **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
 - **Double 400V capacitors** and multiple resistances to withstand power surges.
 - **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.
- Heat resistant - Working temperature -30°+80°C**
 - **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
 - **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.
- Humidity resistant - Weatherproof driver for a longer lifetime**
 - **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.



Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015



LVD TESTED	LVD Certificate: Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.
EMC TESTED	EMC Certificate: Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.
ERP 6000 h	ERP Attestation of conformity: Fumagalli lamps fulfil the European Ecodesign Directive 2009/125/EC and EU 2015/1428 about the energy performance requirements of energy related products. Lamp lumen maintenance factor after 6.000 hrs > 80%
CB IECEE CB SCHEME	IECEE CB Certificate: Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.
RoHS REACH COMPLIANT	RoHS REACH compliant: Fumagalli lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendments and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).



SWITCH

- Long press + 5 sec.: for Mode selection
- Short press: for CCT selection

MATERIAL

- PC material suitable for outdoor use
- UV rays stabilized
- Anti shock

3 WORKING MODE

- SUMMER MODE
- WINTER MODE
- SENSOR MODE

PIR SENSOR

- Detection angle 120°
- Fields of detection up to 5m
- Active for 25 sec.

LED

- Power absorption of the led plate 2,5W (at 100% light)
- LED chips connected by pure gold wires able to withstand at the highest and lowest temperatures and granting a lumens maintenance factor > 80%.
- SMD 3528 LED.

LENS

- Frosted color lens reducing dazzle.
- Made of UV rays stabilized resin material to avoid yellowing process.
- Very compact and slim design for a better light distribution and for improving the light efficiency.

SOLAR PANEL

- Panel 2W/5V
- Monocrystalline
- Antishock material
- UV rays treated.
- Cover made in PET material granting antishock performances for outdoor use

REPLACEABLE BATTERY

- Quick and easy battery replacement
- LiFePO4 IFR 26650 3,3Ah-3,2V
- No risk of explosion
- Working temperature -10° to +60°C

CCT SET

CCT SETTABLE

- Press the switch, to select the desired Kelvin temperature (3000K, 4000K, 6500K) and get a customized ambience.
- 3000K, 4000K and 6500K led chips on 3 separate circuits to grant SDCM < 6.






NEW

SOLAR
12 Hours




SIZE		
SUMMER MODE	LUMEN	42
	AUTONOMY	25h
WINTER MODE	LUMEN	20
	AUTONOMY	46h
SENSORE MODE	LUMEN	280
	ACTIVE TIME	25 sec
	N° Detections	423
SOLAR PANEL	5V/2W	
	Monocrystalline PET type	
	Antishock material	
CHARGING TIME	6h	
REPLACEABLE BATTERY	LiFePO4 IFR26650 3,3Ah, 3,2V	
	No Risk of explosion	
	Working temperature -10° to +60°C	
	Longer Lifetime	
PIR SENSOR	Detection angle 120°	
	Fields of detection up to 5 mt	
	Active for 25 sec.	
LED	3 CIRCUITS	SMD 3528
	COLOR RENDERING INDEX RA	> 80
	SDCM	< 6
	LIFETIME	30.000 h
	KELVIN SETTABLE	3000 K / 4000 K / 6500 K
REF. CODE	H.LED.SOL.CCT	



CE CB

LVD EMC ERP 6000h



INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY


VOLTAGE SURGE RESISTANT



LVD EMC ERP 6000h



IECEE CB CERTIFICATE:
SG PSB-LE-02130

G9 LED	
POWER	1,7 W
LUMINOUS FLUX	170 lm
SIZE & SOCKET	
EFFICIENCY	100 lm/W
VOLTAGE	100-240 V
FREQUENCY	50/60 Hz
CURRENT	17 mA
COLOR RENDERING INDEX RA	80
SDCM	< 6
BEAM ANGLE	110°
WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	> 40.000
LIFETIME	15.000 h
KELVIN	4000 K 3000 K
REF. CODE	H.LED.G09.4K H.LED.G09.3K



NEW

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY



VOLTAGE SURGE RESISTANT




LVD EMC ERP 6000h



IECEE CB CERTIFICATE:
SG PSB-LE-02300A1

GU10 LED - CCT SETTABLE		
POWER	3,5 W	6 W
LUMINOUS FLUX	350 lm	600 lm
SIZE & SOCKET		
EFFICIENCY	100 lm/W	100 lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	70 mA	70 mA
COLOR RENDERING INDEX RA	> 80	> 80
SDCM	< 6	< 6
BEAM ANGLE	36°	45°
WARM UP TIME	≤ 0,5"	≤ 0,5"
SWITCHING CYCLE	> 25.000	> 25.000
LIFETIME	25.000 h	25.000 h
KELVIN SETTABLE	2700 K / 4000 K	2700 K / 4000 K
REF. CODE	H.LED.GU10.CCT	H2.LED.GU10.CCT
COMPARISON	3,5W = 50W 400 Lm halogen SAVE 92%	6W = 100W 600 Lm halogen SAVE 95%




INDOOR & OUTDOOR USE


-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



LVD tested EMC tested ERP 6000h

R7s LED 78mm - CCT SETTABLE	
POWER	3,2 W
LUMINOUS FLUX	400 lm
SIZE & SOCKET	
EFFICIENCY	133 lm/W
VOLTAGE	100-240 V
FREQUENCY	50/60 Hz
CURRENT	75 mA
POWER FACTOR	> 0,5
COLOR RENDERING INDEX RA	> 80
SDCM	< 6
BEAM ANGLE	360°
WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	45.000
LIFETIME	25.000 h
KELVIN	2700 K / 4000 K / 6500 K
REF. CODE	H7.LED.R7S.CCT




INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



LVD tested EMC tested ERP 6000h

R7s LED 118mm - CCT SETTABLE	
POWER	7,5 W
LUMINOUS FLUX	850 lm
SIZE & SOCKET	
EFFICIENCY	113 lm/W
VOLTAGE	100-240 V
FREQUENCY	50/60 Hz
CURRENT	168 mA
POWER FACTOR	> 0,5
COLOR RENDERING INDEX RA	> 80
SDCM	< 6
BEAM ANGLE	360°
WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	45.000
LIFETIME	25.000 h
KELVIN	2700 K / 4000 K / 6500 K
REF. CODE	H8.LED.R7S.CCT




INDOOR & OUTDOOR USE


-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



LVD tested EMC tested ERP 6000h

R7s LED 189mm - CCT SETTABLE	
POWER	10,5 W
LUMINOUS FLUX	1100 lm
SIZE & SOCKET	
EFFICIENCY	104 lm/W
VOLTAGE	100-240 V
FREQUENCY	50/60 Hz
CURRENT	170 mA
POWER FACTOR	> 0,5
COLOR RENDERING INDEX RA	> 80
SDCM	< 6
BEAM ANGLE	360°
WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	45.000
LIFETIME	25.000 h
KELVIN	2700 K / 4000 K / 6500 K
REF. CODE	H9.LED.R7S.CCT




ENERGY CLASS A+
A+
A
B
C
D
E

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01711

POWER	6 W		8 W	
LUMINOUS FLUX	800 lm		1000 lm	
SIZE & SOCKET				
EFFICIENCY	133 Lm/W		125 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	60 mA		76 mA	
POWER FACTOR	> 0,7		> 0,7	
COLOR RENDERING INDEX RA	> 80		> 80	
SDCM	< 6		< 6	
BEAM ANGLE	360°		360°	
WARM UP TIME	≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE	> 100.000		> 100.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000K	2700 K	4000K	2700 K
REF. CODE	H.LED.FIL.4K	H.LED.FIL.3K	H2.LED.FIL.4K	H2.LED.FIL.3K
COMPARISON	6W 800 Lm = 60W incandescent SAVE 90% 8W 1000 Lm = 75W incandescent SAVE 89%			

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01711




ENERGY CLASS A+
A+
A
B
C
D
E

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01711

POWER	12 W	
LUMINOUS FLUX	1500 lm	
SIZE & SOCKET		
EFFICIENCY	125 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	100 mA	
POWER FACTOR	> 0,7	
COLOR RENDERING INDEX RA	> 80	
SDCM	< 6	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	> 100.000	
LIFETIME	25.000 h	
KELVIN	4000K	2700K
REF. CODE	H3.LED.FIL.4K	H3.LED.FIL.3K
COMPARISON	12W 1500 Lm = 100W incandescent SAVE 88%	

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01711





ENERGY CLASS A+
A+
A
B
C
D
E

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01712 SG PSB-LE-01708

POWER	15 W		30 W	
LUMINOUS FLUX	1800 lm		3500 lm	
SIZE & SOCKET				
EFFICIENCY	120 Lm/W		116 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	130 mA		135 mA	
POWER FACTOR	> 0,5		> 0,9	
COLOR RENDERING INDEX RA	> 80		> 80	
BEAM ANGLE	200°		200°	
WARM UP TIME	< 0,5"		< 1"	
SWITCHING CYCLE	30.000		30.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H3.LED.HIP.4K	H3.LED.HIP.3K	H2.LED.HIP.4K	H2.LED.HIP.3K
COMPARISON	15W 1500 Lm = 100W incandescent SAVE 85% 30W 3300 Lm = 50W HQI-SON SAVE 40%			

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01712 SG PSB-LE-01708





ENERGY CLASS A+
A+
A
B
C
D
E

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01707 SG PSB-LE-01705

POWER	50 W		60 W	
LUMINOUS FLUX	5300 lm		7000 lm	
SIZE & SOCKET				
EFFICIENCY	106 Lm/W		116 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	210 mA		290 mA	
POWER FACTOR	> 0,9		> 0,9	
COLOR RENDERING INDEX RA	> 80		> 80	
SDCM	< 6		< 6	
BEAM ANGLE	200°		200°	
WARM UP TIME	< 1"		< 0,5"	
SWITCHING CYCLE	30.000		30.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H.LED.HIP.4K	H.LED.HIP.3K	H4.LED.HIP.4K	H4.LED.HIP.3K
COMPARISON	50W 5000 Lm = 70W HQI-SON SAVE 30% 60W 7000 Lm = 100W HQI-SON SAVE 40%			

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY


VOLTAGE SURGE RESISTANT

CE CB

LVD EMC ERP 6000h

IECEE CB CERTIFICATE: SG PSB-LE-01707 SG PSB-LE-01705

GX53 LED Ø75 - CCT SETTABLE





CCT SETTABLE




3000 K

4000 K

6500 K

SDCM <6






INDOOR & OUTDOOR USE

-30 +80 °C

90% HUMIDITY

VOLTAGE SURGE RESISTANT





CE

CB

LVD

EMC

ERP 6000h



IECEE CB CERTIFICATE:
SG PSB-LE-01706

POWER	3 W	
LUMINOUS FLUX	350 lm	
SIZE & SOCKET	NEW VERSION CCT SETTABLE LAMP Ø75  20 	
EFFICIENCY	116 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	30 mA	
COLOR RENDERING INDEX RA	> 80	
SDCM	< 6	
BEAM ANGLE	120°	
WARM UP TIME	0 s	
SWITCHING CYCLE	> 30.000	
LIFETIME	25.000 h	
KELVIN SETTABLE	NEW	3000 K / 4000 K / 6500 K
REF. CODE	H.LED.G53.CCT	
COMPARISON	3W 350 Lm  = 40W incandescent  SAVE 93%	

GX53 LED Ø100mm - CCT SETTABLE

NEW

CCT SETTABLE

3000 K 4000 K 6500 K

SDCM <6

ENERGY CLASS

A++ A+ A B C D E

A+

SILICONE PROTECTION

DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT


TUV

CE CB


LVD EMC ERP 6000h

IECEE

IECEE CB CERTIFICATE: SG PSB-LE-01709

POWER	7 W	10 W
LUMINOUS FLUX	800 lm	1200 lm
SIZE & SOCKET		
EFFICIENCY	114 Lm/W	120 Lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	34 mA	48 mA
POWER FACTOR	0,8	0,8
COLOR RENDERING INDEX RA	> 80	> 80
SDCM	< 6	< 6
BEAM ANGLE	120°	120°
WARM UP TIME	0 s	0 s
SWITCHING CYCLE	> 30.000	> 30.000
LIFETIME	25.000 h	25.000 h
KELVIN SETTABLE	3000 K / 4000 K / 6500 K	3000 K / 4000 K / 6500 K
REF. CODE	H2.LED.G53.CCT	H3.LED.G53.CCT
COMPARISON	7W = 75W 800 Lm incandescent 	10W = 100W 1200 Lm incandescent 

GX53 LED Ø180mm

POWER	7 W		11 W		18 W	
LUMINOUS FLUX	600 lm		1300 lm		2000 lm	
SIZE & SOCKET	 GX53					
EFFICIENCY	86 Lm/W		118 Lm/W		111 Lm/W	
VOLTAGE	100-240 V		100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz		50/60 Hz	
CURRENT	60 mA		150 mA		200 mA	
POWER FACTOR	0,5		0,9		0,9	
CRI (RA)	> 80		> 80		> 80	
BEAM ANGLE	90°		90°		90°	
WARM UP TIME	≤ 0,5"		≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE	30.000		> 25.000		> 25.000	
LIFETIME	25.000 h		25.000 h		25.000 h	
KELVIN	4000 K	3000 K	4000 K	3000 K	4000 K	3000 K
REF. CODE	H6.LED.G53.4K	H6.LED.G53.3K	H4.LED.G53	H4.LED.G53.3K	H5.LED.G53.4K	H5.LED.G53.3K
COMPARISON	7W = 60W 800 lm incandescent  		11W = 100W 1300 lm incandescent  		18W = 150W 2000 lm incandescent  	

LOOKING FOR A MODERN DESIGN PRODUCT?

See our **Top selection 2020** dedicated to our **classic range!**



NEW FUMAGALLI POLES FACTORY!



TO SEE OUR COMPLETE COLLECTION


Ask for our
General Catalogue 2021
or visit our website at
www.fumagalli.it




RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY
CHEMICAL FERTILIZERS




UV-RAY STABILIZED



RECYCLABLE




UV TREATED




DOUBLE
INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER
IDENTIFIES
THE DIFFUSER

1R3

STRUCTURE
IDENTIFIES THE
STRUCTURE ON
WHICH THE DIFFUSER
IS MOUNTED (POLE,
BRACKET, BASE, SPIKE)

613

SYSTEM
IDENTIFIES THE
MULTILIGHT
SYSTEM IF PRESENT

X20

**COLOUR OF THE
STRUCTURE**
IDENTIFIES THE COLOUR
OF THE STRUCTURE

A BLACK
W WHITE
L GREY

A

**COLOUR OF THE
DIFFUSER**
IDENTIFIES THE COLOUR
OF THE DIFFUSER

X CLEAR / FROSTED
Y OPAL
Z SMOKED
N GREEN
R ORANGE
U BLUE

Y

ELECTRIFICATION
IDENTIFIES THE TYPE OF
ELECTRIFICATION AND
THE EVENTUAL
PRESENCE OF BULBS

B1L

VARIANT
IDENTIFIES THE PRESENCE
OF COMPONENTS SUCH
AS AN EVENTUAL LOUVER
OR BACKLIT BASE ON THE
BULKHEAD RANGE

OR1



Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
E-mail italian.lux@fumagalli.it



www.fumagalli.it

