PREZRUS

Export version





















 $\frac{\text{NC storage and Transport}}{31{\sim}40}$



NC storage and Transport



Intelligent Drawer Cabinet
41~42

Workbench

43~51



Drawer Rack
73



Heavy Duty Rack

75

WWW.REZRUS.COM WWW.REZRUS.COM



Drawer Cabinets

As a professional cabinet for storing tools, With large storage capacity, heavy duty load and other advantages; The unique separation classification system has a strong visual effect.



Drawer Cabinets:

- · High quality Material, durable cabinet housing,
- Advanced central lock (with safety buckle) to ensure safe opening and management of drawers,
- Full width in-line handle, with label, at a glance,
- You can freely choose drawers of different heights to meet your needs,
- The interior of the drawer can be freely divided,
- · Add high-strength casters and move freely,
- Add a top frame to prevent items from slipping and increase the use of space.

Mobile Cabinets:

Heavy-duty mobile casters make our mobile cabinets easy to move,
 Safe and reasonable transporting tools and spare parts

Optional Color:



RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020




Feature




Central Lock Structure

Central lock with special lock for safes, one lock can lock all drawers, Mutual opening rate up to 1/1000.



Cabinet Top Trays

With upturned edges on four sides 20mm, including black ribbed oil-proof mats.



Base

Optional base and forklift base. Prevent rust and increase load carrying capacity. Adjust the height of the drawer cabinet. Lifted and moved easily with a forklift truck.



■ Width Handle/Safety Drawer Latches

■ Label holder with transparent PVC film, easy, clean and protected label. Lock - in / lock - out latches prevent the cabinet from tipping over by blocking all other drawers when one drawer is pulled out.



Handle

Reinforced nylon handle, Easy to control the cart direction, moves lightly and quickly.



Top pegboard (optional)

With siding and collapse function, used with hooks, Easy for tools storage.



WWW.REZRUS.COM

Drawer Rail

Drawer with special slide rail design, bearing principle, heavy duty capacity, easy and smooth pull-push, Three kinds of slide rails: Single-rail (EA), double-rail (VA), three-rail (LA)



Castor

■ Two fixed castors and two swivel castors with locking brake, Easy to turn, easy to move Stand the impact caused by moving.

Size: 4×1.25" and 4×2".




Side Foldable board (optional)

Foldable function, increase useful space.

• Drawers for storing various accessories, flexible space separating, easy to store, protect the tools, improve efficiency.

Specification



Drawer Model	Cabinet Size (W×D)	Drawer Inner Size (W×D)	Useful space
CSL	411×572 mm	306×459 mm	0.140 m ²
CFL	564×572 mm	459×459 mm	0.211 m ²
CFD	564×725 mm	459×612 mm	0.281 m ²
CML	717×572 mm	612×459 mm	0.281 m ²
CMD	717×725 mm	612×612 mm	0.375 m ²
CTL	870×572 mm	765×459 mm	0.351 m ²
CTD	870×725 mm	765×612 mm	0.468 m ²
CWL	1023×572 mm	918×459 mm	0.421 m ²
CWD	1023×725 mm	912×612 mm	0.558 m ²

- Drawer height in 25mm multiple configuration, available sizes from 75~400mm,
- The height and number of drawers can be matched freely, plus 100mm is the height of the tool cabinet,
- Three types of drawer rails: Single-rail (EA), Double-rail (VA), Three-rail (LA), One style or three styles can be mixed.

rawer heigl _₩	nt H Useful height	Drawer Wall height B
1111		<u> </u>
4		

Drawe	r height H	75	100	125	150	200	250	300	350	400
Drawe	r Wall height B	52	77	77	127	127	127	127	127	127
Useful	Single-rail (EA)	61	86	111	136	186	236	286	336	386
height	Double-rail (VA)	54	79	104	129	179	229	279	329	379

Type of Drawers

Loading Capacity 80 ~ 100kg



Loading Capacity 100 ~ 140kg



Loading Capacity 30 ~ 40kg

Single-rail Drawer (EA)

85% opening, Height range: 75~400mm, Used for storing tools and small spare parts, Installed on the upper of the tool cabinet, Convenient pickup.

Double-rail Drawer (VA)


100% opening, Height range: 75~400mm, Used for storing heavy tools, heavy-duty drawers, large load - bearing and application range, Installed on the lower part of the tool cabinet, avoid of the tool cabinet tilt when opening

Three-rail Drawer (LA)

■ 100% opening, Height range: 75~300mm.

Drawer & Accessory

Steel dividers



■ Store small and medium spare parts, separated flexible by drawer partitions and dividers.

Drawer Model	Drawer height H = 75 ~ 125mm	Drawer height H >150mm
CSL	2×3	2×2
CFL	3×3	2×2
CFD	3×3	2×2
CML	3×3	2×2
CMD	3×3	2×2
CTL	3×3	2×3
CTD	3×3	2×3
CWL	3×3	2×3
CWD	3×3	2×3

Drawer Partitions





Partitions and dividers can be easily moved and rearranged, Partitions span entire width or depth of a drawer, spacing in 17mm multiple, Fasten to drawer bottom at prepunched locations.

Model	Drawer Height (mm)	Partitions Height (mm)	Partitions Length (mm)
CT-001-2	75	50	456 / 609
CT-001-3	100 ~ 125	71	456 / 609
CT-001-4	150 ~ 400	121	456 / 609

Drawer Dividers



Use with partitions to subdivide drawer space.


Model	Drawer Height (mm)	Divider Height (mm)	Divider Length (mm)
CT-002-2 (8U)	75	50	(8U)149 / (12U) 200
CT-002-3 (12U)	100 ~ 125	71	(13U) 217 / (14U) 234
CT-002-4 (13U)	150 ~ 400	121	(15U) 251 / (18U) 302





ASC50

ASC75







■ Ideal for storing smaller items, Bins can quickly be removed for easy handling, issuing, and counting, Suitable for drawer's height under 100mm.

Drawer Height	Model	Size (mm)	Material
	ASA50	W75×D75×H25	ABS
50mm	ASB50	W150×D75×H25	ABS
	ASC50	W150×D150×H25	ABS
	ASA75	W75×D75×H45	ABS
75mm	ASB75	W150×D75×H45	ABS
	ASC75	W150×D150×H45	ABS
100mm	ASA100	W75×D75×H70	ABS
	ASB100	W150×D75×H70	ABS
	ASC 100	W150×D150×H70	ABS

ASB75


Red Plastic Groove Trays and Dividers





Groove Tray	Model	Size (mm)	Width	Material
Two channel	BS-2	W152×D152×H35	71	ABS
Three channel	BS-3	W152×D152×H35	46	ABS
Four channel	BS-4	W152×D152×H35	33	ABS
Divider	Model	Size (mm)		Material
For two channel	BSA-2	W71×H30		ABS
For three channel	BSA-3	W46×H30		ABS
For four channel	BSA-4	W33×H30		ABS











ASA75



Locating Pins



Drawer & Accessory

 \blacksquare Made of $\Phi\,6$ steel bars and galvanized, Effectively fixed vise, wrench, etc. in the drawer.

Model	Drawer Height (mm)	Diameter (mm)	Height (mm)
CT-ACB-1	50	Φ6	30
CT-ACB-2	75	Ф6	48
CT-ACB-3	100~400	Φ6	70

Plastic Holder



Use for fixing discs and saw tooth tools by insert technology, Combined with foam pad for better effect.

Model	Diameter (mm)	Height (mm)	Remarks
CT-ACH-016	Ф16	26	Using insert technology, ABS
CT-ACH-026	Ф26	26	material, stable and beautifu
CT-ACH-032	Ф32	26	structure.

Ribbed Rubber Mat



Slip-proof in the drawer, crop according to the used size.

Model	Cabinet Size	Mat Size (mm)	Mat Thickness (mm)
CT-010-1	18u×27u	W300×D450	2
CT-010-2	18u×36u	W300×D450	2
CT-010-3	27u×27u	W450×D450	2
CT-010-4	27u×36u/36u×27u	W450×D600	2
CT-010-5	36u×36u	W600×D600	2
CT-010-6	45u×36u	W750×D600	2
CT-010-7	54u×36u	W900×D600	2







WWW.REZRUS.COM

WWW.REZRUS.COM

- Cabinet top optional: square hole hanging plate, louver hanging plate,
- Drawer rail optional: Single-rail (EA), Double-rail (VA), Three-rail (LA),

• Drawer inside divider optional: steel dividers, red plastic bins, red plastic groove trays, metal locating pins, plastic holder etc.









Three-rail Drawer (VA):

Loading Capacity: 100 ~ 140kg, 100% opening.

Top optional plate

Single-rail Drawer (EA):

Loading Capacity: 80 ~ 100kg,

85% opening.





Square hole hanging plate
 Louver hanging plate

Width: W411 / W564 / W717 / W870 / W1023mm

Depth: D20mm Height: H450mm

Base/forklift base

Forklift base (Front and back covers are optional)



Width: W100mm Depth: D572 / 725mm

Height: H50mm



Optional Desktop



Top steel tray with mat

Width: W411 / W564 / W717 / W870 / W1023mm Depth: D572 / 725mm Height: H20mm



Green multiplex desktop

Width: W411 / W564 / W717 / W870 / W1023mm Height: H30mm Depth: D572 / 725mm



Beech wooden desktop


Width: W411 / W564 / W717 / W870 / W1023mm Depth: D572 / 725mm Height: H30mm

Optional Colour




18U×27U / 36U Cabinet size: W411 × D572 / 725 mm

Drawer Cabinets



27U×27U/36U

Cabinet size: W564 x D572 / 725 mm






Size: W564×D572×H1000mm

ODF40

Size: W564×D725×H1000mm






0DE46

Size: W564×D572×H1150mm

ODF46

Size: W564×D725×H1150mm



7 drawers

0DE52


Size: W564×D572×H1300mm

0DF52

Size: W564×D725×H1300mm







36U×36U Cabinet size: W717×D725 mm



45U×27U/36U 5 drawers 6 drawers 6 drawers ODK46 ODK53 ODK40 Size: W870×D572×H1150mm Size: W870×D572×H1325mm Size: W870×D572×H1000mm ODL40 ODL46 0DL53 Size: W870×D725×H1000mm Size: W870×D725×H1150mm Size: W870×D725×H1325mm

Cabinet size: W1023×D572 / 725 mm

Cabinet size: W870×D572 / 725 mm





54U×27U/36U




WWW.REZRUS.COM

Mobile Cabinets

WWW.REZRUS.COM

• Cabinet top optional: top steel tray with mat, green multiplex desktop, beech wooden desktop.



- Drawer rail optional: Single-rail (EA), Double-rail (VA), Three-rail (LA);
- · Drawer inside divider optional: steel dividers, red plastic bins, red plastic groove trays, locating pins, plastic holder etc.







Cabinet size: W411×D572 mm



4 drawers

ODB26M

Size: W411xD572xH650mm

100 100

5 drawers

ODB28M

Size: W411xD572xH700mm

7 drawers

ODB34M

Size: W411×D572×H850mm

27U×27U/36U

Cabinet size: W564 x D572 / 725 mm



ODE26M

Size: W564×D572×H650mm

ODF26M

Size: W564×D725×H650mm



ODE28M

Size: W564×D572×H700mm

ODF28M

Size: W564×D725×H700mm



0DE34M

Size: W564×D572×H850mm

ODF34M

Size: W564×D725×H850mm

36U×21U/27U

Cabinet size: W717×D470 / 572 mm



4 drawers

0DG26M

Size: W717×D470×H650mm

ODBH26M

Size: W717×D572×H650mm



5 drawers

0DG28M

Size: W717×D470×H700mm ODH28M

Size: W717×D572×H700mm



7 drawers

0DG34M

Size: W717×D470×H850mm

ODH34M

Size: W717×D572×H850mm

45U×27U/36U

Cabinet size: W870×D572 / 725 mm



4 drawers

ODK26M

Size: W870×D572×H650mm

ODL26M Size: W870×D725×H650mm




5 drawers

ODK28M

Size: W870×D572×H700mm

0DL28M Size: W870×D725×H700mm



7 drawers

0DK34M

Size: W870×D572×H850mm

ODL34M

Size: W870×D725×H850mm

54U×27U/36U

Cabinet size: W1023×D572 / 725 mm



ODN26M

Size: W1023×D572×H650mm

0DO26M Size: W1023×D725×H650mm



ODN28M

Size: W1023×D572×H700mm

0DO28M

Size: W1023×D725×H700mm




ODN34M

Size: W1023×D572×H850mm

0DO34M

Size: W1023×D725×H850mm





Shutter door cabinets + beech wooden desktop+ castors



Shutter door cabinets + top steel tray + square hole hanging plate

H850mm



1 layers of shelves inside

- 9DH34M
- Size: W717×D600×H850mm
- 9DK34M
- Size: W870×D600×H850mm
- 9DN34M
- Size: W1023×D600×H850mm



1 layers of shelves inside

- 9DH34M-1
- Size: W717×D600×H850+450 (plate)
- 9DK34M-1
- Size: W870×D600×H850+450 (plate)
- 9DN34M-1
- Size: W1023×D600×H850+450 (plate)

$H1000 \, / \, 1800 \mathsf{mm}$



2 layers of shelves inside

- 9DH34
- Size: W717×D600×H1000mm
- 9DK34
- Size: W870×D600×H1000mm
- 9DN34
- Size: W1023×D600×H1000mm



4 layers of shelves inside

- 9DH81
 - Size: W717×D600×H1800mm
- 9DK81
- Size: W870×D600×H1800mm
- 9DN81
- Size: W1023×D600×H1800mm

H850mm



Conjoined Drawer Cabinets



100 150 150 150 200

18U+18U (W411+W411)

5 drawers

- 1DA34
- Size: W810×D572×H850mm
- 1DB34

150

Size: W810×D725×H850mm

27U+27U (W564+W564)

5 drawers

- 1DE34
- Size: W1116×D572×H850mm
- 1DF34
- Size: W1116×D725×H850mm



18U+27U (W411+W564)

5 drawers


- 1DC34
 - Size: W963×D572×H850mm
- 1DD34
 - Size: W963×D725×H850mm

18U×3 (W411×3)

5 drawers

- SDB34
- Size: W1209×D572×H850mm
- SDC34
 - Size: W1209×D725×H850mm

Design on the basis of standard Drawer cabinet, sharing the intermediate connection structure, Save space compared to stand - alone Drawer cabinet combinations.





Cabinets + beech wooden desktop + castors



Cabinet + top steel tray + square hole hanging plate



Cabinet + top steel tray + square hole hanging plate + castors

WORKSHOP EQUIPMENT

Combination with drawer cabinets and

lockers. Downward on the basis of the





Cabinet + top steel tray



cabinet + beech wooden desktop + castors



cabinet + beech wooden desktop +square hole hanging plate + castors

H850mm



4 drawers

2DA34M

Size: W870×D572×H850

Left: W411 cabinet, Right: 2 layers

2DE34M

Size: W1023×D572×H850

Left: W564 cabinet, Right: 2 layers



4 drawers

2DA34M-1

Size: W870×D572×H850+450 (plate)

Left: W411 cabinet, Right: 2 layers

2DE34M-1

Size: W1023×D572×H850+450 (plate) Left: W564 cabinet, Right: 2 layers

H1000mm



4 drawers

2DA40

Size: W870×D572×H1000

Left: W411 cabinet, Right: 2 layers

2DC40

Size: W1023×D572×H1000

Left: W564 cabinet, Right: 2 layers



4 drawers

2DA40-1

Size: W870×D572×H1000+450 (plate)

Left: W411 cabinet, Right: 2 layers

2DC40-1

Size: W1023×D572×H1000+450 (plate)

Left: W564 cabinet, Right: 2 layers

H850mm



Combination Cabinets

2 drawers

3DA34M

Size: W870×D572×H850

Upper: W870 cabinet, bottom: 1 layer

3DC34M

Size: W1023×D572×H850

Upper: W1023 cabinet, bottom: 1 layer



2 drawers

3DA34M-1

Size: W870×D572×H850+450 (plate) Upper: W870 cabinet, bottom: 1 layer

3DC34M-1

Size: W1023×D572×H850+450 (plate) Upper: W1023 cabinet, bottom: 1 layer



tool cabinet.

Cabinet + top steel tray



Cabinet + beech wooden desktop



cabinet + beech wooden desktop +square hole hanging plate + castors

H1000mm



2 drawers

3DA40

Size: W870×D572×H1000

Upper: W870 cabinet, bottom: 2 layers

3DC40

Size: W1023×D572×H1000

Upper: W1023 cabinet, bottom: 2 layers

2 drawers

3DA40-1

Size: W870×D572×H1000+450 (plate) Upper: W870 cabinet, bottom: 2 layers

3DC40-1

Size: W1023×D572×H1000+450 (plate) Upper: W1023 cabinet, bottom: 2 layers

Mobile cabinet with door, easy to move, dustproof, Compatible with the characteristics of locker, storing large tools, Special lock structure to ensure the safety of tools, Door with hanging plate,



effective useof space, Wide range of applications, Especially suitable for mechanical maintenance and tool storage.







Model	Size	Drawers Configuration	Remarks
7DA34	W717×D522×H1110mm	100VA×2、150VA×1	3 drawers + storage space
7DA35	W717×D522×H1110mm	100VA×2、150VA×1、250VA×1	5 drawers

Upgrade on basis of tool cabinet, add top steel tray and casters, easy to move. Tool cabinet can be mounted on the upper or lower part, Stored in an open format, convenient to take.







Model	5DE34	
Size	W570×D578×H850mm	_
Configuration	Top steel tray H20mm + Cabinet W564×D572×H300mm + Bottom steel tray	



Model	6DE34
Size	W570×D578×H850mm
Configuration	Top steel tray H20mm
	+ Cabinet W564×D572×H300mm
	+ Upper steel tray



Mobile Cabinets

Model	8DA29
Size	W564×D725×H880mm
Configuration	Top / bottom steel tray + drawer cabinet W564×D572×H400mm

+door + lock




Model	8DB29
Size	W564×D725×H880mm
Configuration	3 layer steel tray + door + lock




Model	8DC29
Size	W564×D725×H880mm
Configuration	3 layer steel tray



Model	8DD29	
Size	W564×D725×H880mm	
Configuration	Top / bottom steel tray + drawer cabinet W564×D572×H400mm +door + lock	





PREZRUS

Storage Cabinets

- Designed for factory tools storage, beautiful appearance, stable structure, safe use,
- Locker column adopts modular design, shelves height can be adjustable, Suitable for different tools storage,
- special design for the connection between the partition and the column, ensures the reliability and stability, 100kgs for each layer capacity, specially designed plate up to 250kgs.





Heavy Duty Storage Cabinets

WWW.REZRUS.COM

Modular design, adjustable shelves, suitable for different tools storage space. Heavy duty Storage Cabinets for storing large articles and packages, Rotary lock on the door, also with handle function.









Feature:


- Modular design, adjustable shelves, suitable for different tools storage space.
- · Heavy duty loading capacity over 100kgs for each shelf.
- Rotary lock on the door, also with handle function.

Model	Size (mm)	Configuration
0SEB1D	W870×D500×H1800	4 adjustable shelves
0SGB1D	W870×D600×H1800	4 adjustable shelves
0SEB81	W1023×D500×H1800	4 adjustable shelves
0SGB81	W1023×D600×H1800	4 adjustable shelves

Feature:

- · Each layer of shelf can be slide out freely,
- Modular design, adjustable shelves, suitable for different tools storage space,
- · Heavy duty loading capacity over 100kgs for each shelf,
- Rotary lock on the door, also with handle function.

Model	Size (mm)	Configuration
0SEB1D0083	W870×D500×H1800	4 sliding shelves
0SGB1D0083	W870×D600×H1800	4 sliding shelves
0SEB810083	W1023×D500×H1800	4 sliding shelves
0SGB810083	W1023×D600×H1800	4 sliding shelves





Drawer Storage Cabinets

WWW.REZRUS.COM

With heavy duty drawers, loading capacity 140KGS for each drawer, 100% open, Modular design, adjustable shelves, suitable for different tools storage space, Rotary lock on the door, also with handle function.







Model	Size (mm)	Configuration
3SGB1D012D	W870×D600×H1800	3×H100 drawers
3SGB81012D	W1023×D600×H1800	3 adjustable shelves

Model	Size (mm)	Configuration
3SGB1D0197	W870×D600×H1800	2×H150 drawers
3SGB810197	W1023×D600×H1800	2 adjustable shelves






Model	Size (mm)	Configuration
3SGB1D0119	W870×D600×H1800	2×H100 drawers
3SGB810119	W1023×D600×H1800	2 adjustable shelves

Model	Size (mm)	Configuration
3SGB1D012F	W870×D600×H1800	3×H100 drawers
3SGB81012F	W1023×D600×H1800	4 adjustable shelves

Drawer Storage Cabinets

WWW.REZRUS.COM

Three - rail drawers, loading capacity 45KGS for each drawer, open size 400mm. Modular design, adjustable shelves, suitable for different tools storage space, Rotary lock on the door, also with handle function. Door opening angle approx 210° convening



for different tools storage space, Rotary lock on the door, also with handle function. Door opening angle approx 210°, convenient use.





Model	Size (mm)	Configuration	
0SE0CB3005E	W930×D500×H1950	9 adjustable shelves	
0SE079F005E	W1100×D500×H1950	8 adjustable shelves	

Model	Size (mm)	Configuration	
3SE0CB3016E	W930×D500×H1950	4×H100 drawers 4×H150 drawers	
3SE079F016E	W1100×D500×H1950	6 adjustable shelves	





Model	Size (mm)	Configuration		
3SE0CB3024A	W930×D500×H1950	16×H95 drawers		
3SE079F024A	W1100×D500×H1950	6 adjustable shelves		

Model	Size (mm)	Configuration
3SE0CB01B0	W930×D500×H1950	4×H150 drawers
3SE079F01B0	W1100×D500×H1950	6 adjustable shelves



- Complete metal structure, safe and flexible, Designed for workshop storage, suitable for storage tools, spare parts, meters, drawings and
- Modular design, adjustable shelves, suitable for different tools storage
- The door panel can be equipped with louver hanging plate for hanging bins, or with square hole plate for hooks to hang various tools.
- special design for the connection between the partition and the column, ensures the reliability and stability.

RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020

W1023×D500 / 600×H1800(mm) Size



2SEB81-A (D500) / 2SGB81-A (D600)

- 5 adjustable shelves(D240): 30×BX-02 2 adjustable shelves: 12×BX-04
- 1 louver hanging panel(H800): 24×BH-11 1 square hole hanging panel(H800): Hooks



2SEB81-B (D500) / 2SGB81-B (D600)

- 3 adjustable shelves(D240): 18×BX-02 2 adjustable shelves(D340): 8×BX-03
- 2 adjustable shelves: 12×BX-04
- 1 louver hanging panel(H800): 24×BH-11
- 1 square hole hanging panel(H800): Hooks



2SEB81-C (D500) / 2SGB81-C (D600)

- 5 adjustable shelves(D240): 30×BX-02 3 adjustable shelves: 16×BX-03
- 1 louver hanging panel: 48×BH-11
- 1 square hole hanging panel: Hooks



2SEB81-D (D500) / 2SGB81-D (D600)

- 3 adjustable shelves(D240): 18×BX-02
- 2 adjustable shelves(D340): 8×BX-03
- 1 adjustable shelves: 4×BX-04
- 4×H125(VA) drawers
- 1 louver hanging panel(H800): 24×BH-11
- 1 square hole hanging panel(H800): Hooks



2SEB81-E (D500) / 2SGB81-E (D600)

- 1 inbuilt square hole hanging panel(H400)
- 1 adjustable shelves
- 2×H125(VA) drawers
- 1 louver hanging panel(H800): 24×BH-11 1 square hole hanging panel(H800): Hooks



- 1 adjustable shelves: 8×BX-04



BH-11 L110×W105×H50mm

Modular design, adjustable shelves, suitable for different tools

Bin Storage Cabinets

storage space and Combination bins.











BX-03 Combination bin BX-05 Combination bin BX-03 L340×W200×H155mm BX-05 L450×W300×H177mm



Bin Storage Cabinets without door

Model	Size (mm)	Configuration
5SB5E90041	W900×D375×H1000	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 4 layers
5SB6090049	W900×D375×H1800	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 8 layers
5SD7790041	W1100×D475×H1000	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 4 layers
5SD7990049	W1100×D475×H1800	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 8 layers


Bin Storage Cabinets with double doors

Model	Size (mm)	Configuration
5SC5E90041	W900×D400×H1000	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 4 layers
5SC6090049	W900×D400×H1800	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 8 layers
5SE7790041	W1100×D500×H1000	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 4 layers
5SE7990049	W1100×D500×H1800	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 8 layers

Multi-function bin storage cabinets

WWW.REZRUS.COM

Complete metal storage cabinets, modular design, adjustable shelves, special design for the connection between the partition and the column, suitable for multi-function bin.







Mithaut days	Model	5	SR0B6E	5	SSOB6E	5	STOB6E	5	SU0B6E
Without door Size		W1023×D298×H1325		W1023×D398×H1325		W1023×D498×H1325		W1023×D598×H1325	
	Vlodel		SAB6E		5SCB6E		5SEB6E		SSGB6E
Double doors Size		W1023×D320×H1325		W1023×D420×H1325		W1023×D520×H1325		W1023×D620×H1325	
Multi-function	bin	9 layers	24×BHK-3109 12×BHK-3209 12×BHK-3214	9 layers	24×BHK-4109 12×BHK-4209 12×BHK-4214	9 layers	24×BHK-5109 12×BHK-5209 12×BHK-5214	9 layers	24×BHK-6109 12×BHK-6209 12×BHK-6214






● Model		5	SR0B82	5	5SS0B82		5ST0B82		5SU0B82	
Without door	Size	W1023	×D298×H1825	W1023	×D398×H1825	W1023	×D498×H1825	W1023:	×D598×H1825	
Davida da ara	Model	5	SAB82		SSCB82		5SEB82	5	SGB82	
Double doors Size		W1023	W1023×D320×H1825		W1023×D420×H1825		W1023×D520×H1825		W1023×D620×H1825	
			24×BHK-3109		24×BHK-4109		24×BHK-5109		24×BHK-6109	
Multi-funct	ion bin	11 layers	20×BHK-3209	11 layers	20×BHK-4209	11 layers	20×BHK-5209	11 layers	20×BHK-6209	
			16×BHK-3214		16×BHK-4214		16×BHK-5214		16×BHK-6214	

Multi-function bin storage shelving

WWW.REZRUS.COM

Complete metal storage shelving, modular design, adjustable shelves, 140kgs for each layer capacity, suitable for multi-function bin.









Model	4RE	15-4209	4RI	115-5001	4R	K15-6214
Size	W1035×D400×H1525		W1035×D500×H1525		W1035×D600×H1525	
Multi-function bin	11 layers	44×BHK-4209	10 layers	32×BHK-5109 16×BHK-5209 8×BHK-5214	8 layers	32×BHK-6214









- Model
 4RB15-3109
 4RK15-6001

 Size
 W1035×D300×H1525
 W1035×D600×H1525

 Multi-function bin
 11 layers
 88×BHK-3109
 10 layers
 16×BHK-6109

 16×BHK-6209
 16×BHK-6214
- Modular design, convenient combination,
- Adjustable shelves per 25mm,
- · Picking more easily,
- · Steel handle to prevent bin falling.



BHK-3109	BHK-4109	BHK-5109	BHK-6109
L300×W117×H90	L400×W117×H90	L500×W117×H90	L600×W117×H90
BHK-3209	BHK-4209	BHK-5209	BHK-6209
L300×W234×H90	L400×W234×H90	L500×W234×H90	L600×W234×H90
BHK-3214	BHK-4214	BHK-5214	BHK-6214
L300L×W234×H140	L400×W234×H140	L500×W234×H140	L600×W234×H140

Sliding door storage cabinets

WWW.REZRUS.COM

Sliding door storage cabinets offer in narrow optimal storage, for all goods. the air doors remain in the housing and stand in the sliding door storage cabinets.

High speed rolling doors the ball walk silently on the guide rails.





Model	Size (mm)	Configuration	
4SEAFB	W870×D500×H900	Steel sliding door	
4SZB5F	W1023×D500×H900	1 adjustable shelf	

Model	Size (mm)	Configuration
4SEB05	W870×D500×H1200	Steel sliding door
4SEB69	W1023×D500×H1200	2 adjustable shelves





Model	Size (mm)	Configuration
4SEB1D	W870×D500×H1800	Steel sliding door
4SEB81	W1023×D500×H1800	4 adjustable shelves

Model	Size (mm)	Configuration
4SEF05	W1430×D500×H1800	Steel sliding door
4SVB81	W1430×D627×H1800	5 adjustable shelves


Viewing glass storage cabinets

WWW.REZRUS.COM

For greater transparency in the cabinet, available with viewing window doors. provide a clear view of the stored items and keep the inside of the cabinet neat and organised.



Model	Size (mm)	Configuration
6SEB1D0065	W870×D500×H1800	Glass double doors
6SEB810065	W1023×D500×H1800	4 adjustable shelves





Model	Size (mm)	Configuration
6SGB1D0139	W870×D600×H1800	3×H100 drawers
6SGB810139	W1023×D600×H1800	1 adjustable shelves





W1023×D500×H1800

4 adjustable shelves



Model	Size (mm)	Configuration
6SED75007E	W1800×D500×H1800	Glass sliding door
6SGD75007E	W1800×D600×H1800	8 adjustable shelves

27 28

6SEB810075

Functions:

- · Store chemicals safely and reduce fire risks,
- Enhance fire safety through Door-Lock System and fireproof and explosion-proof vent,
- Comply with FM Approval Standard (Flammable and Combustible Liquids).
- OSHA 29 CER 1910.106 of American Occupational Safety and Health Administration,
- NFPA CODE30 of American National Fire Protection Association etc.



Warning label:

The label material is made of high quality reflective material to improve the safety of the cabinets in the weak light area.





Yellow sign

Flammable Cabinets

Storing flammable liquids (low and median flash point liquid, flash point < 37.8° C),

Such as gasoline, alcohol, kerosene, methanol, ethanol, etc. Reduce the risk of fire, to ensure the safety of life and property.



Red sign

Combustible Cabinets

Storing paintings, oil and other flammable liquids(high flash point liquid, flash point≥37.8°C), Diesel, engine oil, lubricating oil, tung oil, etc.
Suitable for coating, printing, furniture, automobile and other industries.



Blue sign

Acid/Corrosive Safety Cabinets

Coated with blue epoxy powder coating for superior protection against chemical spills and splashes.

storing corrosive liquids, such as acetic acid, carbonic acid, phosphoric acid, silicic acid etc. Suitable for school, research institutes.



Adjustable shelves:

Adjustable among every 6cm floor which can make full use of space.



Fireproofing ventilation hole:

At both sides of the cabinet, one on the top and the other on the bottom.



Three-point linkage lock:

Make lock safer, Flush paddle handle offers easy operation and save space.



Safety locking devices:

Doublelock management in line with Hazardous chemicals Control Ordinance.



Anti-static grounding wire:

Prevent static sparks from causing fire.

Control of the contro

Safety Cabinet







0	Model	WA810040 Y / R / B
	Size	W430×D430×H560mm
	Volume	4 gallon / 15L

Adjustable shelves 1 layer

 Model
 WA810120 Y / R / B

 Size
 W590×D460×H890mm

 Volume
 12 gallon / 45L

 Adjustable shelves
 1 layer

Model	WA810150 Y/R/B
Size	W590×D460×H1120mm
Volume	15 gallon / 57L
Adjustable	shelves 1 layer







Model	WA810300 Y/R/B				
Size	W1090×D460×H1120mm				
Volume	30 gallon / 114L				
Adjustable	e shelves 1 layer				

 Model
 WA810450 Y / R / B

 Size
 W1090×D460×H1650mm

 Volume
 45 gallon / 170L

Adjustable shelves 2 layer

 Model
 WA810860 Y / R / B

 nm
 Size
 W860×D860×H1650mm

 Volume
 60 gallon / 227L

 Adjustable shelves
 2 layer







Model	WA810860 Y / R / B	Model	SA-11112 Y	Model	SA-11112 Y	
Size	W1090×D860×H1650mm	Size	W1500×D860×H1650mm	Size	W1500×D860×H1650m	
Volume 90 gallon / 340L		Volume	55 gallon oil drum×1	Volume	55 gallon oil drum×2	
Adjustable shelves 2 layer		Remarks	Bottom roller device	Remarks	Bottom roller device	



PREZRUS -

NC storage and Transport

Including NC tool storage, tool holders, cutter, tool carts, door tool cabinets, combined door tool cabinets, tool holder shelf, combined tool holders etc.
Available in a variety of sizes, with common tool holder, applying different tool storage.

Newest



Modular combination

More Option









NC storage and Transport


WWW.REZRUS.COM

NC Tool Coat:



NC Tool Holder:

- Tool holders are widely used in NC tool storage,
- Used with the NC tool cart, NC tool shelf or NC tool cabinet to facilitate the transportation and storage,
- Applicable to ISO series, HSK series, CAPTO series NC tools.



	Foot	Tool Coat	Units
W600×D140×H125	V	ISO30	6
W600×D140×H125	V	ISO40	5
W600×D140×H125	\checkmark	ISO50	4
W600×D140×H125	V	ISO60	3
W600×D140×H98	×	HSK40	6
W600×D140×H98	×	HSK63	5
W600×D140×H98	×	HSK80	4
W600×D140×H98	×	HSK100	3
	W600×D140×H125 W600×D140×H125 W600×D140×H125 W600×D140×H98 W600×D140×H98 W600×D140×H98	W600×D140×H125	W600×D140×H125 √ ISO40 W600×D140×H125 √ ISO50 W600×D140×H125 √ ISO60 W600×D140×H98 × HSK40 W600×D140×H98 × HSK63 W600×D140×H98 × HSK80

NC Tool Top Tray:

- · Tool Top Tray are widely used in NC tool storage,
- Used with the NC tool cart, NC tool shelf or NC tool cabinet to facilitate the transportation and storage,
- Applicable to ISO series, HSK series, CAPTO series NC tools.

HSK series





Model	ACTP-B-ISO30	ACTP-B-ISO40	ACTP-B-ISO50	ACTP-B-ISO60	ACTP-B-HSK40	ACTP-B-HSK63	ACTP-B-HSK80	ACTP-B-HSK100
Size	Size W612×D600×H130mm							
Tool Coa	t ISO30	ISO40	ISO50	ISO60	HSK40	HSK63	HSK80	HSK100
Units	25	25	16	9	35	25	25	16

Modular combination, One NC tool holder with multiple tool holderinside coat, free select as need, saving cost;



		NC Tool Holder
	=	
NC Tool Coat	Tool Coat Clamp	N. A. W.

Model	Size (mm)	Tool Coat Clamp	Units
BT30	W600×D140×H125	Small	7
BT40	W600×D140×H125	Medium	5
BT50	W600×D140×H125	Big	4
HSK32	W600×D140×H125	Small	7
HSK40	W600×D140×H125	Small	7
HSK50	W600×D140×H125	Medium	5
HSK63	W600×D140×H125	Medium	5
HSK80	W600×D140×H125	Big	4
HSK100	W600×D140×H125	Big	4
C3	W600×D140×H125	Small	7
C4	W600×D140×H125	Small	7
C5	W600×D140×H125	Medium	5
C6	W600×D140×H125	Medium	5
C8	W600×D140×H125	Big	4
KM63	W600×D140×H125	Medium	5





Medium Tool Coat

Medium Tool Coat Clamp



Big Tool Coat Clamp

PT 20

Small Tool Coat





Big Tool Coat



















• Herringbone hole on shelf, snap-fit structure, adjustable angle range: 0°, 15°, 30°.



NC Tool Storage Trolley



• Equipped with folders, storage tray etc., effective use of space.



RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020





Model	OTM10
Size	W1060×D600×H880mm
Configuration	5 tool holder units
Selectable ISO series	C series、HSK series NC Tool Coat

Model	OTN10
Size	W1100×D600×H880mm
Configuration	6 tool holder units
Selectable ISO series	C series、HSK series NC Tool Coat





Model	OTO10
Size	W717×D572×H880mm
Configuration	NC tool top tray
Selectable ISO series.	C series、HSK series NC Tool Coat

•	Model	0TP10
•	Size	W717×D725×H880mm
•	Configuration NC tool top tray and tool drawer	
Selectable ISO series、C s		C series、HSK series NC Tool Coat

NC Tool Locker without Door:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range : 0 °, 15°, 30°.
- · Complete thread structure connection, easy to install,
- Effective use of space.



Selectable ISO series、C series、HSK series NC Tool Coat



NC Tool Locker with Single Door:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range : 0 °, 15°, 30°.
- · Complete thread structure connection, easy to install,
- Effective use of space.





Model	Size (mm)	Configuration	Remarks
1TC10	W700×D520×H1500	4 tool holder units	Selectable ISO series、C series、HSK series NC Tool Coat
1TD20	W700×D520×H1800	6 tool holder units	Selectable ISO series、C series、HSK series NC Tool Coat
1TJ20	W1023×D600×H1500	4 tool holder units	Selectable ISO series、C series、HSK series NC Tool Coat 2×H150, 1×H200 Double-rail Drawer (VA)
1TK20	W1023×D600×H1800	6 tool holder units	Selectable ISO series、C series、HSK series NC Tool Coat 2×H150, Double-rail Drawer (VA)

NC Tool Locker with Double Doors:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range : 0 °, 15°, 30°.
- · Complete thread structure connection, easy to install,
- Effective use of space.

RAL-7035	RAL-7016	RAL-5012	RAL-5015	RAL-6011	RAL-3020

Model	Size (mm)	Configuration
2TO20	W1130×D520×H1500	4 tool holder units
2TP20	W1130×D520×H1800	6 tool holder units



Remarks					
H1500	Left: 2 adjustable shelves (per 25mm)	Right: Selectable ISO series、C series、HSK series NC Tool Coat			
H1800	Left: 3 adjustable shelves (per 25mm)	Right: Selectable ISO series、C series、HSK series NC Tool Coat			

NC Tool Locker with Shutter Door

Save space, Smooth push and pull, High quality spring control, stop on the right position.

Aluminum alloy shutter door has good anti-corrosion performance, reducing wear and noise and improving use life.








RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020

Model	Size (mm)	Configuration	Remarks
1TA40	W665×D600×H1500	4 tool holder units	Selectable ISO series、C series、HSK series NC Tool Coat
1TB40	W665×D600×H1800	6 tool holder units	Selectable iso series. C series. Han series inc iooi coat


NC Tool Locker with Drawer

WWW.REZRUS.COM

Drawer NC tool holder, can be pulled out for easy storage. Double door, dustproof, safety lock.









Model	Size (mm)	Configuration
CT1 40D	5TA10B W717×D600×H1000	1×H100 drawer
61A10B		2×H100 NC tool drawer

NC Tool Locker with sliding door:



Model	Size (mm)	Configuration
6TA10C	W1023×D600×H1800	4×H150 NC tool drawer

*	

Model	Size (mm)	Configuration
		1×H100 drawer
6TA10D	W1431×D600×H1000	2×H100 NC tool drawer

Heavy duty sliding cabinet

WWW.REZRUS.COM

RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020

Sliding cabinet is mainly used for storing various long type tools, excellent protection special tools,

Vertical structure with up and down direction, sliding drawer can be opened 100%, loading capacity over 140kg,

Special slide rails are used on the bottom of each sliding drawer, more convenient with the handle,

Sliding hanging plate can also be used with hooks to effectively use space.

Accessories for vertical pull-outs



Handle: Easy to moves lightly and quickly.



Special slide rail design: 100% opening, Loading capacity over 140kgs.





Sliding hanging plate can also be used with hooks to effectively use space.

Model	Size (mm)	Configuration
6TE10	W760×D572×H1600	3 layer sliding drawer
6TF10	W760×D572×H1950	3 layer sliding drawer





- The new Powerway industrial cabinet product line offers the quality and versatility of modular drawer storage. Flexible, scalable, and optimized tool storage.
- Combines the functions of various work stations, such as drawer cabinets, door cabinet, shelf cabinet etc. More functions according to the different needs.






WWW.REZRUS.COM



- Use the upper and lower layering structure to match the height and space,
- Railings and stair support and increased station load capacity and stability,
- · All parts are fixed by bolts,
- Modular configuration, can be re-freely combined, and upgrade extension.









New design of NC tool storage, Suitable for all kinds of tool holders, beautiful and convenient.



Specially store large drills.



Specially store screw rod, easy to access, strong visual effect.



Specially store cutter.



Specially store machine tools.

Intelligent Drawer Cabinet

- It is suitable for intelligent management of cutting tools, measuring tools, tools and small spare parts.
- It is the best choice for intelligent tool management in large workshop or small workshop.
- The cabinet can be placed independently when it is placed on the workshop site, or can be used side by side with multiple cabinets to make full use of the space.





Removable **Intelligent Drawer Cabinet**



PREZRUS

W1435×D520×H1680mm Selectable Castor, Easy to move.

Configuration

- · Indicator light for each drawer, the inner size: W170×D300×H120mm, loading capacity 20kg,
- The MCU control lock system, can support up to 80 unit drawer cabinets,
- The host computer uses a 17-inch industrial computer touch screen, keyboard, mouse,
- 10 layers and 6 columns of drawers storage space, 60 categories at the same time,
- Each column can be stored in 10 rows and 6 columns of drawers,
- · Normally, 60 categories tools can be stored at the same time,
- Indicator light lighting when open cabinet, indicate the specific drawer
- · Tools quantity will be record by computer, Inventory can be inquire at

Functional advantages:

- Intelligent touch screen, bar code scanning, wireless WIFI, intelligent recognition,
- Authority control,
- Automatic Location Search,
- Managed inventory,
- Safe Inventory Control,
- The database is M YSQL mode.





Intelligent Drawer Cabinet

WWW.REZRUS.COM



Advantages over traditional storage cabinets:

Category	Traditional	Intelligent
Inquire time	5 min.	30 s
error rate	13%	0
Deletion rate	18%	0
Stock inquiry	5 min.	1 min.
Inventory	Large inventory	Reduced by 25%
Consumption	Uncontrollable	Controllable
Sluggish monitoring	Uncontrollable	Controllable
Cost sharing	Inaccurate	Accuracy
Material management	Complicated	Methodical



Software System Screen:

Storage management: Position each material that needs to be storage.

Inbound management:

Material Management :

Import bill of materials and models, subsequent access management is directly selected from the list.

Stock details:

Stock quantity report indicates research, and it can also count as one kind of material.

Administrators: Hello, welcome to login



Lock cabinet management : Jsed during initialization and when adding ancillary cabinet

User details:

User rights and login password management.

Operation details:

First time use process:

- Establish administrator rights and passwords (level 2),
- Create a bill of materials ,make the material code into the system (can be imported from ERP),
- Named material bind to the drawer separately,
- Can use the inbound and outbound management quantity.

Normal use process:

- Login,
- Select outbound management,

Exit

- Search for materials,
- Click the Outbound button and enter the quantity,
- After confirmation, the drawer will open, and after removing (putting in) the relative amount of material, close the drawer,
- Click on the stock (receipt), finish.

PREZRUS

Workbench

- Modular design, threaded and snap-on connection, supplied for self-assembly, The structure is sturdy, average loading is 1000kg, workbench height can be adjusted by adjustable foot, at range of 30mm,
- The desktop has anti-impact, wear-resistant, heavy load-bearing and other functions, can be equipped with LED lights, slide rails, bottom beam, bench vices, etc. to meet a variety of functions,
- Suitable for mold fitter, inspection, maintenance, assembly and other various use requirements.



Workbench Classification:

- Loading Capacity: Standard workbench for 500kgs, heavy duty workbench for 1000kgs,
- Work Surfaces Material: green multiplex workbench, stainless steel workbench, beech wooden workbench, ESD workbench etc.
- Workbench System: basic workbench, workbench with cabinet, workbench with top panel, combined workbench, etc.
- Movable workbench: Standing workbench, movable workbench with castor, adjustable height workbench.









Heavy duty workbench with optional vise, ixture equipment.

Workbench

WWW.REZRUS.COM





Square hole hanging plate: kinds of hooks




Louver hanging plate: bins



Adjustable Shelf: Used on workbench with panel, snap-on and screw connection, effective use space.

Work Surfaces for Selection:







range within 30mm, suitable for uneven

ground, ensure workbench more stable.

Made of high-fiber board, which makes the desktop more impact-resistant. Strong plastic is edging, practical, not easy to damage, not easy to fall off.

Adjustable foot:



Noble, abrasion resistant, fire-proof, rolled steel sheet smooth and safe. Wide use in light electronics working place.



Wearable work surface Stainless steel coatings

High strength, beautiful, durable, acid and alkali resistant, Popular in different workshop, factory, auto industrial etc.



Power Protector:

Guarantee safety

during operation.

Beech wood work surface

Imported beech wood, highly impact resistant and can be equipped with accessories such as vise.




Iron work surface

The surface is 8mm cold-rolled steel plate, high strength, wear-resistant, durable, long service life.



Oak Wood work surface

Imported oak surface oak veneer. inner base material is solid multi-layer board, surface smooth and smooth, no deformation.



ESD work surface

Anti - static surface and volume resistivity can reach 10 6~8Ω/cm², suitable for most electronics industries.

 Standard workbench frame structure, legs by bending 40×60, 2mm thick high-quality

- workstations,
 A variety of different height drawer combinations to meet different use requirements,
- Workbench legs can equipped with adjustment nut, use for adjust the level of the workbench,
- Modular design, threaded and snap-on Connection, supplied for self-assembly.





1WC20-020B0

Size: W1000×D750×H780

1WF36-020B0

Size: W1800×D750×H780

Configuration: crossbeam



1WF20-02370

Size: W1000×D750×H780

1WF24-02370

Size: W1200×D750×H780

Configuration: crossbeam, cabinet (drawer 100LA×1)



1WF20-02B70

Size: W1000×D750×H780

1WF24-02B70

Size: W1200×D750×H780

Configuration: baseboard, cabinet (drawer 100LA×1)



1WF30-028B0

Size: W1500×D750D×H780

Configuration: baseboard



1WF36-02F70

Size: W1800×D750×H780

Configuration: baseboard, cabinet: W564×D572×H400 (drawer 100EA×3)



1WF36-027B0

Size: W1800×D750×H780

Configuration: cabinet: W564×D572×H700 (drawer 100EA×1, 150EA×2, 200EA×1)



Standard workbench

1WF30-02170

Size: W1500×D750D×H780

Configuration: baseboard, cabinet: W411×D572×H300 (drawer 100EA×2)



1WF40-02A30

Size: W2000×D750×H780

Configuration: crossbeam, cabinet: W564×D572×H400 (drawer 100EA×3)×2



1WF42-03EB0

Size: W2100×D750×H780

Configuration: crossbeam cabinet: W564×D572×H700 (drawer 100EA×1, 150EA×2, 200EA×1)



Size: W1800×D750×H780

1WF306-02280

Configuration: crossbeam, cabinet: Back Plate Upright H600, Square hole hanging plate H300, Louvered hanging plate H300

1WF36-03320

Size: W1800×D750×H780

Configuration: baseboard, cabinet: W564×D572×H400 (drawer 100EA×3) Back Plate Upright H600, Square hole hanging plate H300, Louvered hanging plate H300



1WF36-02F60

Size: W1800×D750×H780

Configuration: baseboard, cabinet: W564×D572×H700 (drawer 100EA×1,150EA×2, 200EA×1) Back Plate Upright H1000, Square hole hanging plate H450, Louvered hanging plate H450, LED Light frame,Top tool slide rail



1WF40-02A40

Size: W2000×D750×H780

Configuration: crossbeam, Drawers: (drawer 100LA×4) Back Plate Upright H600, Square hole hanging plate H300, Louvered hanging plate H300



1WF40-032E0

Size: W2000×D750×H780

Configuration: crossbeam, cabinet: W564×D572×H400 (drawer 100EA×3)×2 Back Plate Upright H1000, Square hole hanging plate H450, Louvered hanging plate H450, LED Light frame



1WF42-05060

Size: W2100×D750×H780

Configuration: crossbeam, Right cabinet: W564×D572×H700 (drawer 100EA×1,150EA×2, 200EA×1) Back Plate Upright H1000, Square hole hanging plate H450, Louvered hanging plate H450, LED Light frame,Top tool slide rail

- Heavy duty workbench frame structure, legs by bending 45×100, 2mm thick high-quality cold-rolled steel plate, loading capacity is 500kg;
- Work surface thick 50mm, the surface material optional, high flatness, strong impact resistance, popular in different workstations;
- A variety of different height drawer combinations to meet different use requirements;
- Reserve holes for different modular accessories according to work requirements;
- Modular design, threaded and snap-on connection, supplied for self-assembly.









Model	Size (mm)
2WF24-01490	W1200×D750×H800
2WF30-01490	W1500×D750×H800
2WF36-01490	W1800×D750×H800

Model	Size (mm)
2WF24-01550	W1200×D750×H800
2WF30-01550	W1500×D750×H800
2WF36-01550	W1800×D750×H800
Cabinet W411 / 5	64×D572×H300

Model	Size (mm)
2WF24-01950	W1200×D750×H800
2WF30-01950	W1500×D750×H800
2WF36-01950	W1800×D750×H800
Cabinet W411/	564×D572×H400







Model	Size (mm)
2WF31-03F50	W1600×D750×H800
2WF42-03F50	W2100×D750×H800
Drawer H100×3	

Model	Size (mm)
2WF30-02850	W1500×D750×H800
2WF36-02850	W1800×D750×H800
2WF42-02850	W2100×D750×H800
Baseboard, Cabine	et W411 / 564×D572×H40

Model	Size (mm)
2WF30-02390	W1500×D750×H800
2WF36-02390	W1800×D750×H800
2WF42-02390	W2100×D750×H800
Cabinet W411/	564×D572×H700

Heavy Duty Workbench











Model	Size (mm)
2WF30-02890	W1500×D750×H800
2WF36-02890	W1800×D750×H800
2WF42-02890	W2100×D750×H800

	Model	Size (mm)
	2WF30-02690	W1500×D750×H800
	2WF36-02690	W1800×D750×H800
10	2WF42-02690	W2100×D750×H800
	Cabinet W411/	564×D572×H700

Model	Size (mm)
2WF30-03290	W1500×D750×H800
2WF36-03290	W1800×D750×H800
2WF42-03290	W2100×D750×H800
Cabinet W411/5	564×D572×H700





		-	100
			100 150
	Į.		200

Model	Size (mm)
2WF30-05690	W1500×D750×H800
2WF36-05690	W1800×D750×H800
2WF42-05690	W2100×D750×H800

Model	Size (mm)
2WF30-04A90	W1500×D750×H800
2WF36-04A90	W1800×D750×H800
2WF42-04A90	W2100×D750×H800
Cabinet W411/5	564×D572×H700

Model	Size (mm)	
2WF30-05810	W1500×D750×H800	
2WF36-05810	W1800×D750×H800	
2WF42-05810	W2100×D750×H800	
Cabinet W411/	564×D572×H700	







Model	Size (mm)
2WF30-01B20	W1500×D750×H800
2WF36-01B20	W1800×D750×H800
2WF42-01B20	W2100×D750×H800

Cabinet W411 / 564×D572×H300

Back Plate Upright H600, Square hole hanging plate H300, Louvered hanging plate H300.

Model	Size (mm)
2WF30-056E0	W1500×D750×H800
2WF36-056E0	W1800×D750×H800
2WF42-056E0	W2100×D750×H800

Cabinet W411 / 564×D572×H300

Back Plate Upright H1000, LED Light frame, Square hole hanging plate H300, Louvered hanging plate H300.

Model	Size (mm)
2WF30-02720	W1500×D750×H800
2WF36-02720	W1800×D750×H800
2WF42-02720	W2100×D750×H800

Cabinet W411 / 564×D572×H300

Back Plate Upright H1000, LED Light frame, Square hole hanging plate H450, Louvered hanging plate H450.







Model	Size (mm)	
2WF30-03640	W1500×D750×H800	
2WF36-03640	W1800×D750×H800	
2WF42-03640	W2100×D750×H800	

Cabinet W411 / 564×D572×H300

Back Plate Upright H1000, LED Light frame, Square hole hanging plate H450, Louvered hanging plate H450.

Model	Size (mm)
2WF30-059E0	W1500×D750×H800
2WF36-059E0	W1800×D750×H800
2WF42-059E0	W2100×D750×H800


Cabinet W411 / 564×D572×H300

Back Plate Upright H1000, LED Light frame, Square hole hanging plate H300, Louvered hanging plate H300.

Model	Size (mm)
2WF30-045C0	W1500×D750×H800
2WF36-045C0	W1800×D750×H800
2WF42-045C0	W2100×D750×H800

Cabinet W411 / 564×D572×H300

Back Plate Upright H1000, LED Light frame, Square hole hanging plate H450, Louvered hanging plate H450.



WWW.REZRUS.COM

ESD workbench

WWW.REZRUS.COM



8WF30A

WORKSHOP EQUIPMENT

Size: W1500×D750×H800mm Stainless steel coatings



8WF50A

Size: W2500×D750×H800mm

Stainless steel coatings



8WF50B

Size: W2400×D750×H800mm Stainless steel coatings



8WF60A

Size: W3000×D750×H800mm Stainless steel coatings



8WF50C

Size: W2400×D750×H800mm Stainless steel coatings



8WF60B

Size: W3000×D750×H800mm Stainless steel coatings

- Ergonomic design principle, comfortable and beautiful, and improve production efficiency, • Modular design, accessories are freely combined and interchangeable, Standardized design, customize is available,
- Steel structure design, made of high-quality cold-rolled steel plate, durable and durable,
- After pickled and phosphate, electrostatic spraying with high-quality anti-static powder technical processing.



ESD wrist strap box

Work area → ESD cover Bolted ◀ Electrostatic Electrostatic catharsis 4 catharsis ESD workbench top

Optional accessory:



■ LED light frame Provide lighting.



Y style LED light frame Provide double-sided lighting.



Pneumatic connector



Selectable Power Socket / Button, Pneumatic connector, Power Protector etc.



Bench top cabinet

Storage cabinet, The position can be adjusted.



Square hole plate Selectable hooks.



Louvered hanging plate Selectable bins.



Bins panel Selectable bins.





Adjustable plate Enhanced plate, Loading capacity 80kg.



Adjustable plate Loading capacity 30kg.



File holder Place the A3、A4 documents and drawings.



Hinge file holder Place the A3/A4 documents and drawings.



Screen Holder Hanging Screen.



Bin Container Storage bins.



Keyboard holder Draw structure, placed at the bottom of the workbench top.



Loading capacity 30kg, width range between 180~225mm.



Closed electric wire, Network wire





WWW.REZRUS.COM

9WF30ASize: W1530×D750×H800mmConfiguration4 castor, adjustable screw.

9WF30B Size: W1530×D750×H800mm

Configuration Keyboard holder,

Hanging cabinet W564×D572×H300mm, 2×100mm drawer, Power board.





9WF36A	Size: W1830×D750×H800mm
Configuration	LED light frame, 2×back plate,
	Adjustable shelf, power board,
	Hanging cabinet W564×D572×H300mm,
	2×100mm drawer,
	Mobile cabinet W564×D572×H680mm.

Size: W1830×D750×H800mm

Configuration

LED light frame, 2×square hole plate,
Adjustable shelf, power board,
Hanging cabinet W564×D572×H300mm,
2×100mm drawer.



9WF36C

Size: W1830×D750×H800mm

Configuration

Top board holder,

Back plate + square hole plate,

Side screen holder, Power board,

Hanging cabinet W564×D572×H300mm,

2×100mm drawer,

Keyboard holder.



9WF36D

Size: W1830×D750×H800mm

Configuration LED light frame,

Louvered plate + square hole plate,

Power board,

Drawer cabinet W564×D572×H700mm, 3×200mm drawer.







9WF36E	Size: W1830×D750×H800mm	
Configuration	Both side workbench with Y style LED frame, Louvered plate + square hole plate, Adjustable shelf, Power board, Hanging cabinet W564×D572×H300mm, 2×100mm drawer.	

- Update on the basis of heavy duty workbench, pedal device control and removable the workbench,
- Static load capacity up to 1 ton, Suitable for workshop and warehouse laboratory etc.







Pedal device control

4WF24A	Configuration: W1200 and W1500 workbench, H30mm Green multiplex top or Beech wood top	
Size: W1200×D750×H780	W1800 workbench, H50mm Green multiplex top or Beech wood top	
4WF30A	Baseboard	
Size: W1500×D750×H780	Optional: 1、Cabinet W411 / W564×D572×H300 (drawer100×2)	
4WF36A	2、Cabinet W411 / W564×D572×H550 (drawer100×3,150×1)	
Size: W1800×D750×H800		

Circular Workbench







Workbench Top Rotatable

Locating pin

Model	6WH00	
Size	Ф850×H780	
Тор —	H30mm Green multiplex top	
	Loading Capacity: 300Kg, Location per 30°	

Removable Workbench



- · Loading capacity: 300Kg,
- Green multiplex top or Beech wood top,
- Two fixed castors and two swivel castors with locking brake.

Model	4DA33	4DE33
Size	W870×D572×H825mm	W1023×D572×H825mm
6.1	Cabinet (4 drawer)	Cabinet (4 drawer)
Cabinet	W411×D572×H650mm	W564×D572×H650mm


Hexagonal workstation

- Equilateral six-sided rotary design, combined with the standard tool cabinet, optional with a vice. Specially designed for factory assembly, production, maintenance and operation.
- Stable structure, Anti corrosion, anti impact, More optional material work surface, loading capacity up to 1000 kg, Special suitable for the limited space and multi-person cooperation work. Widely used in electronics, machinery, hardware, instruments and other industries.



Model	5WZ36
Size (mm)	Φ2400×H800mm
Configuration —	H50mm Beech wood top
	Cabinet W564×D572×H700 (6 units)

Workbench Top and Cabinet:





Made of high-fiber board, which makes the desktop more impact-resistant. Strong plastic is edging, practical, not easy to as vise. damage, not easy to fall off.



Model	Size (mm)
0DE28A	W564×D572×H700



Beech wood top

Imported beech wood, highly impact resistant and can be equipped with accessories such in different workshop, factory,





RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020





Stainless steel coatings

High strength, beautiful, durable, acid and alkali resistant, Popular auto industrial etc.



Iron top

The surface is 8mm cold-rolled steel plate, high strength, wear-resistant, durable, long service life.





Model	Size (mm)	
3DE28	W564×D572×H700	



Tools Storage Rack

- Hooks was used with hole plate, changed arbitrarily, positioning is quick, and the fixed management of various tools is satisfied, Bins was used with the louver plate, small materials and parts can be stored in the color management category.
- Suitable for the storage and classification of small materials, tools, parts and other items, efficiently useful space.

Movable & Double sided:





191	
10000000000000000000000000000000000000	
	Handle for easy movement.

Model	AHM2222	AHM2342
Size	W960×D610×H1110mm	W960×D610×H1560mm
Configure	Square hole hanging plate 2 PS Louver hanging plate 2 PS	Square hole hanging plate 4 PS Louver hanging plate 2 PS
Remarks	Hanging plate can choose quantity and location	




Castors with brakes.


3 layer hanging plates & Single sided:







Model	AHR1330	AHR1303	AHR1312
Size	W960×D375×H1450mm	W960×D375×H1450mm	W960×D375×H1450mm
Configure	Square hole hanging plate 3 PS	Louver hanging plate 3 PS	Square hole hanging plate 1 PS Louver hanging plate 2 PS
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit		







Louver hanging plate: bins


Tools Storage Rack

WWW.REZRUS.COM

3 layer hanging plates & Double sided:








Model	AHR1360	AHR1306	AHR1312
Size	W960×D610×H1450mm	W960×D610×H1450mm	W960×D610×H1450mm
Configure	Square hole hanging plate 6 PS	Louver hanging plate 6 PS	Square hole hanging plate 2 PS Louver hanging plate 4 PS
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit		

4 layer hanging plates & Single sided / Double sided :







Model	AHR1413	AHR2408	AHR1422	
Size	W960×D375×H1900mm	W960×D610×H1900mm	W960×D375×H1900mm	
Configure	Square hole hanging plate 1 PS Louver hanging plate 3 PS	Louver hanging plate 8 PS	Square hole hanging plate 2 F Louver hanging plate 6 PS	
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit			







Optional shelf: Position can be adjusted up and down

Bottom tray

FG0801 FG0802

- Two side louver plate for more bins storage,
- 4×D125mm castor, Two fixed castors and two swivel castors with locking brake,
- One-side wide handle for easy movement.





Model	BTC-01	
Size	W1052×D600×H1410mm	

Model	BTC-02
Size	W1053×D600×H1700mm

Optional hanging Bins:










BH-11	BH-12	BH-13	BH-14	BH-15	
L110 × W105 × H50mm	L140 × W105 × H75mm	L190L × W105 × H75mm	L220 × W140 × H125mm	L270 × W140 × H125mm	

Pegboard System

- Square hole hanging plate: 900×450mm, Total 9 pieces,
- The Base: Steel square pipe, 40×40 Removable structure.

Model	BTC-03
Size	W980×D400×H1430mm
Square hole	W900×H450mm/PS
hanging plate	3 PS / Unit







- Pegboard system size: 1430×1920mm,




Plastic spring holder


Drill holder

Model FG-2101





- Tilt box is a new design product by Powerway, which is made of high-density polyethylene (HDPE),
- The front of the box is inverted (opening angle 55°), smoothly pulled out and closed,
- Clear view, with exhibition storage function, With label groove, effectively classify and manage the storage items,
- Hanging hole design, can be used singly or wall mounted and fixed,
- Special size design, free combination, which can be combined into box group, storage cabinet, storage cart.









Tilt Box:





W117×D165×H166mm



W147×D186×H191mm



W196×D206×H216mm

Size	W97×D144×H142mm
Tilt Box	Permutation:





Model	Т6	
Size	W600×D140×H150mm	

Model	T5	
Size	W600×D160×H175mm	





Model	T4	
Size	W600×D180×H202mm	

Model	Т3
Size	W600×D200×H228mm

Desktop Style:

Tilt Box



Collocation T5×2



Collocation T4×2

Model	CT5-2	Model	CT4-2
Size	W616×D200×H352mm	Size	W600×D160×H175mm

Tilt Box Shelf:



Collocation T6×2 T5×2 T4×2

Single sided storage

Tilt Box Storage cabinet:



T4×4 T3×3

Collocation

T6×4 T5×8

Single sided storage

1odel	CTK-1	Model	CTH-1
Size	W600×D210×H1055mm	Size	W1260×D320×H1770mm

Tilt Box Cart:



Collocation T6×4 T5×4 T4×6



Double handle Double sided storage



T4×2
T3×2

Double handle

Collocation T6×4

T5×6

DOGDIC	riarraic
Double	sided storage

62

lodel	CTW-1	Model	CTW-2
Size	W777×D600×H1480mm	Size	W777×D600×H1480mm

PREZRUS

Platform trolley

■ One of the logistics equipments commonly used in factories and warehouses to coordinate and reasonably move, store or control materials..

Steel platform trolley:





- · Leak-proof shelf, edge high 40m,
- Two fixed castors and two swivel castors with locking brake, diameter 125mm,
- Solid rubber tire, roller bearing.



Model	DBB-001 (2 layer)	DBB-002 (3 layer)
Size	W600×D400×H810mm	W780×D460×H810mm
D	W600×D400	W780×D460
Plate	H810/H150	H810 / H480 / H150

Heavy-duty trolley:



- · Loading capacity 500 KGS,
- Suitable for workshop use in the factory.

Model	DBB-003	DBB-004	
Size	W1050×D700×H930mm	W1250×D800×H930mm	
Surface	W1050×D700	W1250×D800	
	Upper: H930, bottom:H320	Upper: H930, bottom:H320	



· Loading capacity 300 KGS,

Multilayer trolley:

• Suitable for workshop use in the factory.

Model	DBC-001	DBC-002	
Size	W900×D600×H880mm	W1000×D700×H880mm	
Damanla	4 layer	4 layer	
Remarks -	Two side cover plate	Two side cover plate	

Noiseless Platform Trolley

WWW.REZRUS.COM



Inactive Handle:

Model	PW150	PW200	PW250	PW300	PW400
Loading capacity (kg)	150	200	250	300	400
Platform size (mm)	L730×W490	L825×W500	L825×W500	L910×W600	L1355×W650
Platform height (mm)	170	180	215	220	205
Handle Height (mm)	890	860	890	890	890
Castor Diameter (mm)	100	100	130	130	130
Net weight (kg)	10	11	12	14.5	22



Active Handle:

Model	PW150-DX	PW200-DX	PW250-DX	PW300-DX
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730×W490	L825×W500	L825×W500	L910×W600
Platform height (mm)	170	180	215	220
Handle Height (mm)	890	860	890	890
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	11	12	13	15



2 Layers Trolley:

Model	PW150-T2	PW200-T2	PW250-T2	PW300-T2
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730×W490	L825×W500	L825×W500	L910×W600
Platform height (Upper/bottom)	670/170	680/180	725/215	730/220
Platform interval (mm)	470	465	465	465
Handle Height (mm)	860	860	915	920
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	12	16	19.5	22



2 Layers wire mesh Trolley:

Model	PW150-T2-HL2	PW200-T2-HL2	PW250-T2-HL2-D	PW300-T2-HL2-D
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730×W490	L825×W500	L825×W500	L910×W600
Platform height (Upper/bottom)	670/170	680/180	725/215	730/220
Platform interval (mm)	470	465	465	465
Handle Height (mm)	860	860	915	920
Wire mesh Height (mm)	100	100	100	100
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	15	19	23	25



Wire Mesh Trolley:

Model	PLA300-AM1
Loading capacity (kg)	300
Platform size (mm)	L910×W600
Platform height (mm)	220
Wire mesh Height (mm)	500
Handle Height (mm)	890
Castor Diameter (mm)	130
Net weight (kg)	23.8



Platform size (mm)

Castor Diameter (mm)

Net weight (kg)



L730×W490

100

5.8



Model PLA150-DL Loading capacity (kg)

4" Steel castor



Scrap Hopper

■ Used to collect iron scrap produced from the machine tools, centralized management, recycling and environmental protection.

Standard Specifications:

- 4 heavy duty castor, easy move;
- · Bearing structure, flexibility during loading and unloading;
- · loading capacity 350KG.







Leak valve in the bottom remove to waste





Self-unloading Scrap Hopper:

- Used with forklift, convenient dump industry metal scrap by controlling the forklift operating system,
- Manual hydraulic device, automatically reset after dumping, With stacking function.





Model	Size (mm)	Loading
ZH-01	W1000×D800×H750	1000kg
ZH-02	W1000×D1000×H750	1000kg
ZH-03	W1000×D800×H910	1000kg
ZH-04	2H-04 W1000×D1000×H910	
ZH-05	W1200×D800×H750	1000kg
ZH-06	ZH-06 W1200×D10000×H750	
ZH-07	W1200×D800×H900	1000kg

Model	Size (mm)	Loading
ZH-08	W1200×D1000×H900	1000kg
ZH-09	W1200×D1000×H980	1000kg
ZH-10	W1550×D1000×H950	1000kg
ZH-11	W1550×D1450×H950	1000kg
ZH-12	W1550×D1450×H1130	1000kg
ZH-13	W1550×D1800×H1130	1000kg



Scrap Hopper

WWW.REZRUS.COM

Container Scrap Hopper:

- Used with forklift, convenient dump industry metal scrap by controlling the forklift operating system,
- · Manual hydraulic device, automatically reset after dumping,
- Bottom dumping structure ensures clean dumping and stacking function,
- · Optional with castors for easy move.







Model	Size (mm)	Loading
ZH-50	W1200×D800×H860	1000kg
ZH-75	W1200×D800×H1160	1000kg

Model Size (mm)		Loading
ZH-100 W1200×D1000×H1160		1000kg
ZH-150	W1800×D1000×H1160	1000kg

n) Loading
0×H1460 1000kg

Iron container:

• Stackable and ideal for the storage of heavy case of components are carried out in paint and galvanized sheet.

RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020

• Available in various sizes and colors, some models are integrated in the shelves to optimize industrial space.







Model	TPT3200
External Size	W300×D200×H200mm
Internal Size	W280×D180×H180mm
Stackable	Full load of 5 layers









Model	TPT4200
External Size	W400×D300×H200mm
Internal Size	W380×D280×H180mm
Stackable	Full load of 5 layers

Model	TPT4300
External Size	W400×D300×H300mm
Internal Size	W380×D280×H280mm
Stackable	Full load of 5 layers

Model	TPT6200
External Size	W600×D400×H200mm
Internal Size	W580×D380×H180mm
Stackable	Full load of 5 layers

- Flexible application, Can be up and down, left and right combination;
- Co-polypropylene material, light weight, long use life, working temperature range -30 ° ~ 70 °;
- Combine different kinds of use space as needed, convenient for cleaning, neat and beautiful;
- Managed with color, widely used in electronics, machinery, and pharmaceutical industries.







Dust-proof label cover, bins column.



Standard Specifications:

connection, fixed.







Model	BX-01	BX-02	BX-03
External Size	L160×W100×H75mm	L240×W150×H124mm	L340×W200×H155mm
Internal Size	L140×W80×H70mm	L220×W125×H120mm	L320×W160×H150mm
Loading Capacity	3kg	10kg	15kg
Packing	50 PC/CTN	36 PC/CTN	18 PC/CTN
Optional color	Blue Red 9 Yellow	Blue Red 9 Yellow	Blue Red Yellow








Model	BX-04	BX-05	BX-06
External Size	L450×W200×H177mm	L450×W300×H177mm	L600×W400×H220mm
Internal Size	L410×W170×H168mm	L410×W270×H168mm	L550×W360×H210mm
Loading Capacity	20kg	25kg	50kg
Packing	12 PC/CTN	8 PC/CTN	8 PC/CTN
Optional color	Blue Red Pellow	Blue Red 9 Yellow	Blue Red Yellow

• Can be used alone, or hanging on the louver plate, flexible application;

- Anti-static function, anti-static surface and volume resistivity up to 106~108Ω/cm;
- Co-polypropylene material, light weight, long use life, working temperature range -30 ° ~ 70 °;
- Combine different kinds of use space as needed, convenient for cleaning, neat and beautiful;
- Managed with color, widely used in electronics, machinery, and pharmaceutical industries.



Hanging Bins





Applicable with louver hanging



Standard Specifications:







Model	BH-11	BH-12	BH-13
External Size	L110×W105×H50mm	L140×W105×H75mm	L190×W105×H75mm
Internal Size	L95×W90×H45mm	L120×W90×H65mm	L170×W90×H65mm
Loading Capacity	2kg	2kg	3kg
Packing	60 PC/CTN	48 PC/CTN	24 PC/CTN
Optional color	● Blue ● Red ● Yellow	Blue Red 9 Yellow	Blue Red Yellow





Model	BH-14	BH-15		
External Size	L220×W140×H125mm	L270×W140×H125mm		
Internal Size	L200×W120×H118mm	L250×W120×H118mm		
Loading Capacity	10kg	12kg		
Packing	12 PC/CTN	12 PC/CTN		
Optional color	Blue Red Yellow	Blue Red Yellow		



WWW.REZRUS.COM

WWW.REZRUS.COM

- Stacked neatly, safely and space-saving, heavy duty,
- Oil resistant, acid resistant, alkaline resistant solution,
- Adapt to temperature -20°C ~ 90°C,
- Pure and High quality PP material, suitable for conveying belt system and material shelf.







Accessory:

Suit W117×H90



Suit W234×H90











Model	BHK-3109	BHK-4109	BHK-5109	BHK-6109
External Size	L300×W117×H90mm	L400×W117×H90mm	L500×W117×H90mm	L600×W117×H90mm
Internal Size	L260×W94×H80mm	L360×W94×H80Hmm	L460×W94×H80mm	L560×W94×H80mm
Loading / Volume	2kg / 2L	3kg / 2.7L	4kg / 3.5L	5kg / 4.2L









Model	BHK-3209	BHK-4209	BHK-5209	BHK-6209
External Size	L300×W234×H90mm	L400×W234×H90mm	L500×W234×H90mm	L600×W234×H90mm
Internal Size	L256×W211×H80mm	L356×W211×H80mm	L456×W211×H80mm	L556×W211×H80mm
Loading / Volume	5kg / 4.4L	6kg / 6.0L	8kg / 7.8L	10kg / 9.4L









Model	BHK-3214	BHK-4214	BHK-5214	BHK-6214
External Size	L300×W234×H140mm	L400×W234×H140mm	L500×W234×H140mm	L600×W234×H140mm
Internal Size	L253×W210×H129mm	L353×W210×H129mm	L453×W210×H129mm	L553×W210×H129mm
Loading / Volume	7kg / 7.1L	10kg / 9.9L	13kg / 12.6L	15kg / 15.4L

- · Nest style, convenient storage and shipping,
- Nest design help save 50% space,

Nesting Container

- 6 layers stack when fully loading,
- Adapt to temperature -20°~75°.





Hinged flap cover for improved Two side handle. sealing, dust and moisture.





design to improve the container strength.

because the design, equipped with a strap or a special lock to prevent the goods.



label and barcode can be put on each side.





The lid with non-slip texture.







Model	PWC-01	PWC-02	PWC-03		
External Size	W600×D400×H315mm	W600×D400×H315mm	W600×D400×H250mm		
Internal Size	W550×D360×H278mm	W550×D360×H290mm	W550×D360×H213mm		
Loading / Volume	25kg / 50.09L	25kg / 52.25L	25kg / 39.31L		





Model	PWC-04	PWC-05
External Size	W600×D400×H250mm	W550×D380×H325mm
Internal Size	W550×D360×H225mm	W500×D345×H325mm
Loading / Volume	25kg / 41.53L	25kg / 50.70L



- Smooth bottom, flat design, Optional cover,
- Environmental and durable,
- Non-toxic, pollution-free, corrosion-resistant, waterproof, anti-static, shockproof,
- Reinforced base for trouble-free and safe storage,
- Double-walled corner frame prevents twisting with high
- Compatible with all euro size containers.



Two side handle.




Corners thickened arc structure design to improve the container strength.



label and barcode can be put on each side.



Bottom with non-slip texture, Suitable for logistics operations.



Optional cover.







Model	EG3148	EG4148	EG4248
External Size	W300×D200×H148mm	W400×D300×H148mm	W400×D300×H280mm
Internal Size	W250×D150×H129mm	W350×D250×H129mm	W350×D250×H261mm
Loading / Volume	20kg / 4.85L	20kg / 11.3L	30kg / 22L





Model	EG6248	EG6148
External Size	W600×D400×H280mm	W600×D400×H148mm
Internal Size	W550×D350×H261mm	W550×D350×H129mm
Loading / Volume	40kg / 50.05L	30kg / 24.8L



• PP material, dustproof with detachable cover,

Flap Cover Container

- 6 layers stack when fully loading,
- Adapt to temperature -20°~75°,
- ISO system material packaging modulus design: 600*400mm.



Hinged flap cover for improved sealing, dust and moisture.



Locking hole design, equipped with a strap or a special lock to prevent the goods.



Container connect with cover by steel hinge structure.



label and barcode can be put on each side.



Bottom with non-slip texture, Suitable for logistics operations.







Model	EG3148G	EG4148G	EG4248G
External Size	W300×D200×H148mm	W400×D300×H148mm	W400×D300×H280mm
Internal Size	W250×D150×H129mm	W350×D250×H129mm	W350×D250×H261mm
Loading / Volume	20kg / 4.85L	20kg / 11.3L	30kg / 22L





Model	EG6248G	EG6148G
External Size	W600×D400×H280mm	W600×D400×H148mm
Internal Size	W550×D350×H261mm	W550×D350×H129mm
Loading / Volume	40kg / 50.05L	30kg / 24.8L









• Screws and snap structure, convenient to disassemble and assemble;

• Layered roller guide rails, easy to pull afterheavy duty load;

 Single rail drawer, 60% open, loading capacity 1000kg;

- Drawer height can be adjusted in every 50mm:
- Interlocking structure, only one drawer can be opened at a time, keep rack system stable when fully loading;
- Self-locking structure, double protection, safer;
- Steel structure, galvanized sheet drawer surface, wearable and beautiful.







Standard Specifications:


Model	Main	rack	Mair	rack	Mair	rack	Main	rack	Main	rack	Main	rack
Size	3RA18	3RF18	3RB18	3RG18	3RC18	3RH18	3RD18	3RI18	3RA20	3RF20	3RB20	3RG20
Width (W)	10	70	12	70	14	70	16	70	10	70	12	270
Depth (D)	800	1000	800	1000	800	1000	800	1000	800	1000	800	1000
Height (H)	18	10	18	10	18	10	18	10	20	10	20	10
Drawer Size		W818×D	795 / 995	95 / 995 W1018		8×D795			W1018	8×D795		
Configuration					1 pc adjust	able plate -	+ 3 layers d	rawer plate	2			

Screws and snap structure, convenient to disassemble and assemble,

- The fluent plate can be adjusted up and down every 50mm,
- Surface electrostatic spraying,

Carton Flow Rack

- Can be used with the container, meet the first in, first out (FFO) requirements for goods;
- Applicable to assembly lines, dumping, tally, etc.



Fluent plate

Rack system: 1 Start Unit + N Extension Unit

Fluent system


Standard Specifications:

Model	2RB11	2RB12	2RB13	2RB21	2RB22	2RB23		
Rack (W×D)	W900×D900	W900×D1300	W900×D1700	W1300×D900	W1300×D1300	W1300×D1700		
Fluent plate (W×D)	W900×D1300	W900×D1700	W900×D2100	W1300×D1300	W1300×D1700	W1300×D2100		
Model	2RB31	2RB32	2RB33	2RB41	2RB42	2RB43		
Rack (W×D)	W1600×D900	W1600×D1300	W1600×D1700	W2000×D900	W2000×D1300	W2000×D1700		
Fluent plate (W×D)	W1600×D1300	W1600×D1700	W1600×D2100	W2000×D1300	W2000×D1700	W2000×D2100		
Rack (H)		H1600						

Inclined Plane Rack

- Improvement of the human-machine interface, easy to pick and improve efficiency,
- suitable for the flow of goods is relatively small workshop, such as automotive packaging, manufacturing workshops etc.








Model	Size (mm)	Model	Size (mm)	Model	Size (mm)
5RA101	W870×D600×H2160	5RA201	W870×D1200×H2160	5RA301	W870×D1200×H2160
5RA102	W995×D600×H2160	5RA202	W995×D1200×H2160	5RA302	W995×D1200×H2160
5RA103	W1283×D600×H2160	5RA203	W1283×D1200×H2160	5RA303	W1283×D1200×H2160







- Pallet racking, suitable for storage pallet and heavy cargo, provides forklift and other mechanical operations,
- Bolted assembly. Upright frame is assembled with bolts, Beams lock into design,
- One set of start unit, extend unit racking to increase storage space row by row.



Standard Specifications:

Model	C2H-X35Y	C2H-X45Y	C2H-X55Y	C2H-X65Y	C2H-X75Y
W×D (mm)	W2000×D800	W2300×D800	W2500×D800	W2700×D800	W3000×D800
	H2500 (2Layer)				
11/1	H3000 (3Layer)				
H (Layer)	H3500 (3Layer)				
	H4000 (3Layer)				
oading Capacity	1400kg / Layer	2000kg / Layer	2300kg / Layer	2400kg / Layer	2100kg / Layer







- Steel rack, adjustable height in each 50m, loading capacity 300-500kg for each layer,
- Upright frame and beam connect structure, without bolts, easy to assembly and disassembly,
- * Used with material bins, containers, cartons, etc.





Rack system: 1 Start Unit + N Extension Unit

- One set of start unit, extend unit racking to increase storage space row by row. Rack can be discharged in single or double rows.
- Widely used in warehouses, workshops, logistics distribution centers, etc.

Standard Specifications:

Model	1RE25	1RE55	1RE85
Size (mm)	W1200×D500×H1800	W1500×D500×H2000	W1800×D500×H2000
Layer	3 Layer	4 Layer	4 Layer
Model	1RE26	1RE56	1RE86
Size (mm)	W1200×D600×H1800	W1500×D600×H2000	W1800×D600×H2000
Layer	3 Layer	4 Layer	4 Layer