



NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.





SECTION "A-A"



THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7 TEL: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com			
		GENERAL				CLIENT	-			
MATERIAL	AL	1. DIMS ARE IN INCHES (MM)				DRAWN	DATE			
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				S.PATIL	07/06/2013			
FINISH		3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	CHECKED			
		4. INTERNAL RADIUS .015					LES			
		5. BREAK SHARP CORNERS .005 TO .015				PROJECT	D.A.			
		LIMITS								
		1. LINEAR DIMS.				STRESS	MANUFACTURING			
		.XXX = .000								
		.XX = .000				THERMAL	MATERIALS			
		.X = .000								
		2. ANGLES = ± 1/2°				MECHANISM	ELECTRICAL			
		3. RUNOUT .010 TIR								
		4. HOLES IN ACCORDANCE WITH AND 10387				SCALE	1:1			
NEXT ASSEMBLY	USED ON	QTY PER	PART NO	ASSY	CONTRACT	CAGE CODE				
						DWD NO				
						30001T				
						RELEASE	REV			
						P	-			

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
-	-	-	-



THIRD ANGLE PROJECTION	AL	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 308-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1000 www.nfx-flow.com			
		GENERAL				CLIENT	07/06/2013			
MATERIAL		1. DIMS ARE IN INCHES (AND FRACTIONS) UNLESS OTHERWISE SPECIFIED				CONTRACTOR	TITLE			
FINISH		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1992)				DESIGN	OUTLINE DRAWING OF			
NEXT ASSEMBLY		3. MACHINE FINISH 125 MICRO INCH RMS				CHECKED	2" THREADED			
USED ON		4. INTERNAL RADIUS .015				LESS	ALUMINIUM RING VAC			
QTY PER ASSEMBLY		5. BREAK SHARP CORNERS .005 TO .015				DATE	SCALE			
PART NO		LIMITS				PROJECT	1:1			
		1. LINEAR DIMS. .0005				STRESS	MANUFACTURING			
		2. ANGLES = ± 1/2°				MATERIALS	CAGE CODE			
		3. RUNOUT .010 TIR				MATERIALS	30004T			
		4. HOLES IN ACCORDANCE WITH AND 10387				MATERIALS	RELEASE			
						MATERIALS	REV			
						MATERIALS	P			
						MATERIALS	1			
						MATERIALS	1			

8 7 6 5 4 3 2 1

E

D

C

B



E

D

C

B

1/2" NPT THRD.
THRU HOLE



PROPRIETARY
REPRODUCTION OR DISTRIBUTION
WITHOUT WRITTEN CONSENT OF
NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION	
MATERIAL	ALUMINIUM
FINISH	BLUE ANODIZING

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	GENERAL
1. DIMS ARE IN INCHES (MM)	
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)	
3. MACHINE FINISH 125 MICRO INCH RMS	
4. INTERNAL RADI .015	
5. BREAK SHARP CORNERS .005 TO .015	
LIMITS	
1. LINEAR DIMS.	
XXX = .005	
XX = .010	
X = .030	
2. ANGLES = ± 1/2°	
3. RUNOUT .010 TIR	
4. HOLES IN ACCORDANCE WITH AND 10387	

CONTRACT NUMBER	—
CLIENT	—
CONTRACTOR	—
DRAWN	CHIRAG.S
DATE	25/04/2021
CHECKED	LES
PROJECT	D.A.
STRESS	—
MANUFACTURING	—
THERMAL	—
MATERIALS	—
MECHANICAL	—
ELECTRICAL	—

SIZE	C
CAGE CODE	—
DWG NO	30006T
SCALE	1:1
CAD NO	—

NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7 TEL: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com	
2" THREADED ALUMINIUM RING VAC	
RELEASE	P
REV	—
SHEET	1 OF 1

8 7 6 5 4 3 2 1

A

A